



GSF
S U P P L I E S

SAFETY CATALOGUE 2023



CONTENTS

	Helmet	01 - 06
	Eyewear	07 - 11
	Ear Plug	12 - 15
	Mask	16 - 21
	Safety Wear	22 - 34
	Glove	35 - 44
	Shoe / Leg	45 - 56
	Fall Harness	57 - 69
	Safety Sign & Construction	70 - 82
	S: Thermal (Heat) Insulations	83 - 84





Safety Helmet (H/Duty)

Code	Model	Color	Packing
PCH9910Y	9910	Yellow	40/ctn
PCH9910W	9910	White	40/ctn
PCH9910B	9910	Blue	40/ctn
PCH9910O	9910	Orange	40/ctn
PCH9910R	9910	Red	40/ctn

PICASAF safety helmet is a type of helmet predominantly used in workplace environments such as industrial or construction sites to protect the head from injury due to falling objects, impact with other objects, debris.

- * Material : ABS
- * Description : Helmet with slide lock system
Come with Fusion Headgear
- * Brand : Picasaf



Ratchet Safety Helmet (H/Duty)

Code	Model	Color	Packing
PCR9912Y	9912	Yellow	40/ctn
PCH9912W	9912	White	40/ctn
PCH9912B	9912	Blue	40/ctn
PCH9912O	9912	Orange	40/ctn
PCH9912R	9912	Red	40/ctn



- * Material : ABS
- * Description : Helmet with Ratchet lock system
Come with Ratchet Fusion Headgear
- * Brand : Picasaf





Safety Helmet (Medium Duty)

Code	Color	Brand	Packing
SBSHB	Blue	Sobar	20/ctn
SBSHO	Orange	Sobar	20/ctn
SBSHR	Red	Sobar	20/ctn
SBSHW	White	Sobar	20/ctn
SBSHY	Yellow	Sobar	20/ctn

* Come with elastic chain strap (white, yellow, red, orange, blue)

* Fusion Head Gear

* Fixed : +RM0.10



Special Color

SBSHSP	OEM	Sobar	20/ctn
--------	-----	-------	--------

* Special order

SOBAR®



Head Gear

Code	Model	Brand	Packing
PCHGB1	B1	Picasaf	50/ctn



Safety Helmet - PP (Light Duty)

Code	Model	Color	Packing
CYSHY	173	Yellow	60/ctn
CYSHW	173	White	60/ctn

* Brand : Cyber



Bump Cap - PE

Code	Color	Brand	Packing
PCBCPY	Yellow	Picasaf	20/ctn
PCBCPW	White	Picasaf	20/ctn
PCBCPB	Blue	Picasaf	20/ctn





Helmet Harness Belt

Code	Brand	Packing
PCHHB	Picasaf	



- * Lightweight replacement slide lock plastic harness, easy to replace.
- * suitable for all picasaf helmet (Model 9910, 9912...)



Helmet Harness Ratchet

Code	Brand	Packing
PCHHR	Picasaf	



- * Replacement Ratchet Fusion Headgear, easy to replace.
- * suitable for all picasaf helmet (Model 9910, 9912...)



Visor Bracket - ABS

Code	Model	Brand	Packing
PCVBA2	A2	Picasaf	100/ctn



- * Economical choice for excellent face protection
- * Material : ABS



Visor Bracket - Aluminium

Code	Model	Brand	Packing
PCVBA4	A4	Picasaf	100/ctn



- * Heavy Duty choice for excellent face protection
- * Material : Aluminium



Helmet Chain Strap Elastic

Code	Size	Brand	Packing
PCHCSE	18mm	Picasaf	20/ctn



- * Fits all Picasaf & BK helmet
- * Adjustable & keep the helmet in active situation





Spherical Visor

Code	Model	Description	Packing
PCVFC48C	FC48	Clear, 15"x8"	150/ctn
PCVFC48G	FC48	Green, 15"x8"	150/ctn



- * Suitable for most application electrical hazard environment
- * Shaded with anti glare, brazing & light cutting operation purpose
- * Heat, Impact Resistant, Polycarbonate
- * Material : Polycarbonate
- * Brand : Picasaf



Crown Head Gear

Code	Model	Brand	Packing
PCCHGBG1	BG1	Picasaf	20



- * Durable choice for excellent face protection
- * Lightweight & comfortable with adjustable for height adjustment
- * Heat / Impact Resistant 2mm Thick
- * without helmet



Visor Bracket Cap Slot

Code	Model	Brand	Packing
PCVBCS5	CS5	Picasaf	50/ctn



- * suitable for all helmet



Spherical Visor

Code	Model	Color	Packing
PCSV1BTC	1BT	Clear	50/ctn



- * Suitable for most application electrical hazard environment
- * Shaded with anti glare, brazing & light cutting operation purpose
- * Heat, Impact Resistant, Polycarbonate
- * Material : Polycarbonate
- * Brand : Laser



Spherical Visor

Code	Model	Color	Packing
PCSV1BTG	1BT	Green	50/ctn



- * Suitable for most application electrical hazard environment
- * Shaded with anti glare, brazing & light cutting operation purpose
- * Heat, Impact Resistant, Polycarbonate
- * Material : Polycarbonate
- * Brand : Laser



Auto Welding Helmet Solar/Battery

Code	Model	Brand	Packing
PCWH9056	9056	Picasaf	6/ctn



- * Suitable for all types of electro - welding's covered electrodes, plasma welding cutting and laser welding except gas welding.
- * Fully adjustable delay and sensitivity controls
- * Grinding and welding modes / Fire Retardant Body
- * Battery powered with solar assist for extended battery life
- * Reaction: 1/20,000s
- * View Area: 2" x4"
- * WARRANTY: 6 Months



Replacement Part of Welding Helmet

Code	Description	Packing
PCFPL	PC Protective Lens - Front 110x90mm	5/100
PCRPL	PC Protective Lens - Rear 98x48mm	5/100
PCAH	Electronic Circuit Board	1/5



Semi Welding Helmet

Code	Model	Description	Packing
PCWH9057	9057		10/40
PCVBA2	A2	Visor Bracket-ABS	100



- * without helmet & bracket
- * Used when performing certain type of welding to protect the eyes, face, neck from flash burn
- * Flip up front for easy welding inspection.
- * Simple and lightweight welding shield which is durability, resistant to heat and weld spatter.



Cap Slot Bracket + Welding Headshield Body

Code	Description	Packing
PCVBCS5+WHBD	Cap Slot Bracket + Welding Headshield	



- * without helmet & bracket
- * Used when performing certain type of welding to protect the eyes, face, neck from flash burn
- * Flip up front for easy welding inspection.
- * Simple and lightweight welding shield which is durability, resistant to heat and weld spatter.



Replacement Part

Code	Description	Brand	Packing
PCWHH	Harness	Picasaf	50
PCWHLC	Len's clip	Picasaf	50
PCWHBD	Body	Picasaf	50



Welding Headshield - Red Fibre

Code	Model	Brand	Packing
PCWH9052	9052	Picasaf	100/ctn



- * Used when performing certain type of welding to protect the eyes, face, neck from flash burn
- * Flip up front for easy welding inspection.
- * Simple and lightweight welding shield which is durability, resistant to heat and weld spatter
- * Fixed front
- * With 2"x4" welding glass



Welding Headshield

Code	Model	Description	Packing
PCWH9053	9053	Black PP	50/Bg



- * Used when performing certain type of welding to protect the eyes, face, neck from flash burn
- * Flip up front for easy welding inspection.
- * Simple and lightweight welding shield which is durability, resistant to heat and weld spatter
- * Flip-front, Adjustable ratchet
- * Fire Retardant
- * Fixed Front



Welding Headshield

Code	Model	Brand	Packing
PCWH9055	9055	Picasaf	40/ctn



- * without helmet & bracket
- * Used when performing certain type of welding to protect the eyes, face, neck from flash burn
- * Flip up front for easy welding inspection.
- * Simple and lightweight welding shield which is durability, resistant to heat and weld spatter.
- * Flip-front,
- * Adjustable ratchet



Black Glass (Welding)

Code	Size	Brand	Packing
PCWBG10	108x50x3mm 10#	Picasaf	100/500
PCWBG11	108x50x3mm 11#	Picasaf	100/500
PCWBG12	108x50x3mm 12#	Picasaf	100/1000



Clear Glass (Welding)

Code	Size	Brand	Packing
PCWCG2X4	108x50x2mm	Picasaf	150/600



Pro-choice



Spectacle

Code	Model	Color	Packing
PCSSET98C	ET98	Clear	12/300
PCSSET98S	ET98	Smoke	12/300



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Pro-choice



Spectacle - 5# Welding

Code	Model	Color	Packing
PCSSET98G	ET98	Green	12/300



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Pro-choice



Spectacle

Code	Model	Color	Packing
PCSSET90C	ET90	Clear	12/300
PCSSET90S	ET90	Smoke	12/300



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Pro-choice



Spectacle - 11# Welding

Code	Model	Color	Packing
PCSSET90D11	ET90	Dark	12/300



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Pro-choice



Spectacle

Code	Model	Color	Packing
PCSSJ55C	J55	Clear	12/300
PCSSJ55S	J55	Smoke	12/300



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Wraparound design lens provide a tight fit preventing particle instruction.



Soft nose bridge for comfort.



Light weight safety eyewear.



Scratch resistant polycarbonate lens.



High fashion temple arm with soft rubber sleeves for grip & comfort.



99.9% UV proof.



ANSI CE

Pro-choice



Anti-fog Spectacle

Code	Model	Color	Packing
PCSSET81CAF	ET81	Clear	12/300



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Pro-choice



Spectacle - Silver Mirror

Code	Model	Color	Packing
PCSSET81CSM	ET81	Clear	12/300



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Pro-choice



Spectacle

Code	Model	Color	Packing
PCSSET81S	ET81	Smoke	12/300



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Pro-choice



Spectacle - Black Frame

Code	Model	Color	Packing
PCSSS278C	S278	Clear	12/300
PCSSS278S	S278	Smoke	12/300



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Pro-choice



Spectacle - Silver Mirror

Code	Model	Color	Packing
PCSSS278CSM	S278	Clear	12/300
PCSSS278SSM	S278	Smoke	12/300



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Wraparound design lens provide a tight fit preventing particle instruction.



Soft nose bridge for comfort.



Scratch resistant polycarbonate lens.



High fashion temple arm with soft rubber sleeves for grip & comfort.



Light weight safety eyewear.



99.9% UV proof.



ANSI CE

STARLITE



Spectacle - Starlite

Code	Model	Color	Packing
PCSSET97C	ET97	Clear	12/300
PCSSET97S	ET97	Smoke	12/300



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



STARLITE



Spectacle Silver Mirror

Code	Model	Color	Packing
PCSSET97CSM	ET97	Clear	12/300



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



STARLITE



Spectacle

Code	Model	Color	Packing
PCSSET46C	ET46	Clear	12/300
PCSSET46S	ET46	Smoke	12/300



- * Adjustable sidearms
- * Excellence impact resistant
- * Multi colour frame
- * Frame Color : Yellow & Blue
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



STARLITE



Visitor (Ultra Vision)

Code	Model	Color	Packing
PCSSET30C	ET30	Clear	12/300
PCSSET30S	ET30	Smoke	12/300



- * Non-removable lens
- * Impact resistant, wear easily over glass
- * Lens Material : Polycarbonate
- * Frame Material : Polycarbonate
- * Comply to ANSI & CE



STARLITE



Laser Safety

Code	Model	Color	Packing
PCSSET52C	ET52	Clear	12/300
PCSSET52S	ET52	Smoke	12/300



- * Impact Resistant
- * Sideshield with browguard
- * Lens Material : Polycarbonate
- * Frame Material : Acetate frame
- * Comply to ANSI & CE



Wraparound design lens provide a tight fit preventing particle instruction.



Soft nose bridge for comfort.



Light weight safety eyewear.



Scratch resistant polycarbonate lens.



High fashion temple arm with soft rubber sleeves for grip & comfort.



99.9% UV proof.



ANSI CE

STARLITE



Spectacle

Code	Model	Color	Packing
PCSSJ42C	J42	Clear	12/300
PCSSJ42S	J42	Smoke	12/300



- * Wraparound design lens provide a tight fit preventing particle instruction.
- * Light weight safety eyewear.
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



STARLITE



Spectacle

Code	Model	Color	Packing
PCSSST211C	ST211	Clear	12/300
PCSSST211S	ST211	Smoke	12/300



- * Impact Resistant
- * Lens Material : Polycarbonate
- * Frame Material : Polycarbonate
- * Comply to ANSI & CE



STARLITE



Spectacle

Code	Model	Color	Packing
PCSSST46C	ST46	Clear	12/300
PCSSST46S	ST46	Smoke	12/300



- * Multi colour frame
- * Frame Color : Yellow & Blue
- * Lens Material : Polycarbonate
- * Comply to ANSI & CE



Spectacle Cord



Code	Color	Size	Packing
PCSSC60	Black	60cm	12/300



- * Simply attached this cord to them and hang them around your neck.
- * String can be adjustable
- * 10,000pcs per carton



Wraparound design lens provide a tight fit preventing particle instruction.



Soft nose bridge for comfort.



Light weight safety eyewear.



Scratch resistant polycarbonate lens.



High fashion temple arm with soft rubber sleeves for grip & comfort.



99.9% UV proof.



ANSI CE



Safety Impact Goggle

Code	Model	Color	Packing
PCSG9331C	9331	Clear	12/300



- * Direct Ventilation, Lens 1mm, Wide Vision, 1pc mould PVC Frame
- Comfortable nose-piece, adjustable head band.
- For grinding, wood working, buffing, chiseling etc.



Safety Anti-fog Chemical Goggle

Code	Model	Color	Packing
PCSG9333C	9333	Clear	12/144



- * Anti-fog Chemical goggle provide excellent splash protection
- * The safety goggle constructed of soft, comfortable PVC frame with polycarbonate lens and a wide adjustable headband



Flip Goggle

Code	Model	Color	Packing
PCFG9335G	9335	#5 Green	100



- * Lift front lens holder, used for gas welding & chipping



Anti-fog Full Vision Goggle

Code	Model	Color	Packing
PCSG9339C	9339	Clear	40/120



- * Ultra lightweight wide vision google with exceptional wearer comfort.
- * Dual inject soft frame with pressure free fit tight seal design.
- * Comfortable nose-piece, adjustable head band.



Wraparound design lens provide a tight fit preventing particle intrusion.



Scratch resistant polycarbonate lens.



Soft nose bridge for comfort.



High fashion temple arm with soft rubber sleeves for grip & comfort.



Light weight safety eyewear.



99.9% UV proof.



ANSI CE



Foam Ear Plug with Cord (USA)

Code	Model	Description	Packing
MDEP6650	6650 Softies™	NRR31	10/2000



- * 100% PVC-Free®.
- * Radiant orange color for easy compliance checks.
- * Extra-soft, low-pressure foam for comfort and fit.
- * Tapered shape for easy insertion and removal.
- * Shaped to fit even very small ear canals.
- * Non-irritating smooth surface.



ANSI



Foam Ear Plug with Cord (USA)

Code	Model	Description	Packing
MDEP6654	6654 Spark Plugs™	NRR31	10/2000



- * 100% PVC-Free®.
- * Extra-soft, low-pressure foam for comfort and fit.
- * Tapered shape for easy insertion and removal.
- * Shaped to fit even very small ear canals.
- * Non-irritating smooth surface.
- * In the Metal Detectable version the plug and cord are independently detectable for added safety.



ANSI



Foam Ear Plug (USA)

Code	Model	Description	Packing
MDEP6900	6900 Pura-Fit™	NRR33	200/2000



- * 100% PVC-Free®.
- * Tapered for easier insertion.
- * Improved, softer foam for maximum comfort.
- * Non-irritating, smooth surface.
- * Longer length for easy fitting and removal.
- * Hygienically packaged in biodegradable paper pouches.
- * Look for the bright green color as a symbol of Moldex quality.



ANSI



Foam Ear Plug (USA)

Code	Model	Description	Packing
MDEP6600	6600 Softies™	NRR31	200/2000



- * 100% PVC-Free®.
- * Radiant orange color for easy compliance checks.
- * Extra-soft, low-pressure foam for comfort and fit.
- * Tapered shape for easy insertion and removal.
- * Shaped to fit even very small ear canals.
- * Non-irritating smooth surface.



ANSI

Soft material for a better seal



Grip doesn't bend for easy insertion

Air pocket for comfort



Ear Plug with Cord & Case (USA)

Code	Model	Description	Packing
MDEP6405	6405 Rockets™	NRR26	50



- * 100% PVC-Free®.
- * Easy grip handle lets earplugs easily slip into ear.
- * Air bubble in tip provides cushioned comfort.
- * Earplugs can be washed and reused.
- * Available in corded, uncorded, and corded metal detectable models.
- * Look for the bright green color as a symbol of Moldex quality.
- * In the Metal Detectable version the plug and cord are independently detectable for added safety.



ANSI



Ear Plug with Cord & Case

Code	Model	Description	Packing
PCEP9013	9013	NRR24	12/1000



- * Excellent protection, convenience and ease of use with reusability
- * Soft for lower pressure in ear and improved comfort.
- * Reusable earplug are generally addortable,sterilized and easily cleaned with mild soap and water for months of usage.
- * Each pair comes with a cord and a storage case or polybag.



Ear Plug with Cord & Case

Code	Model	Description	Packing
PCEP9017	9017	NRR24	50



- * Excellent protection, convenience and ease of use with reusability
- * Soft for lower pressure in ear and improved comfort.
- * Reusable earplug are generally addortable,sterilized and easily cleaned with mild soap and water for months of usage.
- * Each pair comes with a cord and a storage case or polybag.



Foam Ear Plug with Cord

Code	Model	Description	Packing
PCEP9015	9015	NRR31	200/2000



- * Plugs are made of soft foam that expands to fit virtually all ear canal
- * Earplugs are easy to roll down for quick and easy fitting
- * Comfortable to wear for extended periods of times
- * Each pair is individually packed into a plastic bag



PVC Corded

Code	Model	Description	Packing
3MEP1270	1270	MOQ 1case	100/500



- * Unique outer flange design helps keep the ear plug in place thus improving wearer comfort and helping assure protection
- * Soft formulation, provides added comfort
- * New finger grip design improves ease of insertion
- * Storage case with belt clip helps keep plugs convenient, clean and protected in between use
- * Polyester cord (1271) helps prevent loss, and ensures product is available when required



Corded Foam Ear Plug

Code	Model	Description	Packing
3MEP1110	1110	Clear	100/500



- * Soft, hypo-allergenic polyurethane foam offers maximum wearer comfort
- * Smooth, dirt-resistant surface
- * Tapered design fits most ear canals
- * Available corded (3M 1110)



Uncorded Soft Ear Plug

Code	Model	Description	Packing
3MEP1120	1120	NRR24	200/1000

3M

- * Unique, contoured and articulated design helps make the ear plug more flexible, allowing it to easily conform to the wearers ear canal, enhancing wearer comfort
- * Very soft formulation for lower pressure in ear and improved comfort.
- * Smooth dirt resistant surface for improved hygiene and comfort
- * Provides high level of protection, SNR 34 dB thus making it suitable for most industrial workplace noise



Uncorded Foam Ear Plug

Code	Model	Packing
3MEP1100	1100	200/1000

3M

- * Smooth, dirt resistant surface provides better hygiene
- * Earplugs are easy to roll down for quick and easy fitting
- * Tapered design fits comfortably in earcanals
- * Soft polyurethane foam is hypoallergenic
- * Noise Reduction Rating (NRR) 29 dB, CSA Class AL



Plastic (PVC) Corded

Code	Model	Packing
20320	1292	100/500

3M

- * Softer material provides improved wearer comfort
- * Translucent blue color appeals to a variety of users
- * 3-flange design fits securely in the ear
- * Finger grip stem for easy insertion and to help keep ear plugs clean
- * Elastic material does not contain silicone, so earplugs may be used in sensitive work environments, such as automotive painting



Plastic (PVC) Corded with Storage Case

Code	Model	Packing
3MEP1293	1293	50/250

3M

- * Softer material provides improved wearer comfort
- * Translucent blue color appeals to a variety of users
- * 3-flange design fits securely in the ear
- * Finger grip stem for easy insertion and to help keep ear plugs clean
- * Elastic material does not contain silicone, so earplugs may be used in sensitive work environments, such as automotive painting



PVC Corded with Carrying Case

Code	Model	Packing
3MEP1271	1271	50/250

3M

- * Unique outer flange design helps keep the ear plug in place thus improving wearer comfort and helping assure protection
- * Soft formulation, provides added comfort
- * New finger grip design improves ease of insertion
- * Storage case with belt clip helps keep plugs convenient, clean and protected in between use
- * Polyester cord (1271) helps prevent loss, and ensures product is available when required



Ear Muffle

Code	Model	Description	Packing
PCEM9001	9001	NRR21	40



- * This ear muffle offer quality noise reduction at an affordable price.
- * Lightweight, nadjustable contoured for user comfort
- * Economic model



Ear Muffle

Code	Model	Description	Packing
PCEM9007	9007	NRR26	50



- * This ear muffle offer with soft foam-filled cushions provides a good seal for protection againts harmful noise & sound
- * Lightweight, nadjustable contoured for user comfort



Ear Defender

Code	Model	Description	Packing
PCED9005	9005	NRR26	50



- * Helmet slotted ear muffs fit to all Picasaf, BK safety helmet
- * Good performance earmuff with good noise reduction rating.
- * Extra wide ear cushions for best comfort
- * Provides high and low frequency attenuation



Ear Muffle

Code	Model	Packing
20342	1436	20



- * Moulded inserts offer excellent ear space giving reliable protection and comfort.
- * Patented adjustable tension system helps ensure superior individual comfort and fit over a wide range of head sizes
- * Strong, wide headband provides low pressure and secure fit
- * 2-point mounting headband provides low, even pressure and easy handling



Silent.



Disposable Surgical Mask

Code	Description	Color	Packing
PCSM3PEG	3 Ply, Elastic Loop	Green	40
PCSM3PEB	3 Ply, Elastic Loop	Blue	40



- * Suitable for medical & general-purpose usage
- * Form-fit design which helps to breathe easily
- * 3-ply surgical mask with elastic ear-loops
- * lightweight, 3 layer construction and comfortable to wear.



Disposable Surgical Mask

Code	Description	Color	Packing
PCSM3PTG	3 Ply, Tie-On	Green	40



- * Suitable for medical & general-purpose usage
- * Form-fit design which helps to breathe easily
- * 3-ply surgical mask with tie-on
- * lightweight, 3 layer construction and comfortable to wear.



Disposable Nurse Mask

Code	Description	Color	Packing
PCNM2P	2 Ply, Elastic Loop	White	100



- * Suitable for medical & general-purpose usage
- * Form-fit design which helps to breathe easily
- * 3-ply surgical mask with elastic ear-loops
- * lightweight, 3 layer construction and comfortable to wear.



Paper Mouth Mask

Code	Model	Description	Packing
PCML8101	8101 Laser	Thick	20



- * 50Pcs/Box
- * Elastic ear-loops
- * No synthetic resin
- * No formalin
- * Water resistance



Paper Mouth Mask

Code	Model	Description	Packing
PCMG8102	8102 Geson	Normal	20



- * Suitable for general-purpose usage
- * 50Pcs/Box
- * Non-toxic dusts, pollen, powders
- * Elastic ear-loops



Respirator Mask

Code	Model	Description	Packing
PCRM8610	8610	20pcs/box	20box/ctn



- * 95 percent filtration efficiency against certain non-oil based particles
- * Two-strap design with welded dual point attachment helps provide a secure seal
- * Adjustable noseclip helps provide a custom fit and secure seal
- * Lightweight construction promotes greater worker acceptance and may help increase wear time



Respirator Mask c/w Valve

Code	Model	Description	Packing
PCRM8612	8612	12pcs/box	20box/ctn



- * 95 percent filtration efficiency against certain non-oil based particles
- * Two-strap design with welded dual point attachment helps provide a secure seal
- * Fringe seal avoids open layer around the edges
- * Exhalation valve reduce hot air build up and easy breath



Respirator Mask

Code	Model	Description	Packing
PCRM9610	9610	20pcs/box	20box/ctn



- * Comforms to EN149:2001 FFP2 standards
- * Exhalation valve for extra comfort
- * Low breathing resistance with high filtration efficiency
- * Adjustable noise-piece and inner foam provide a custom seal
- * Adjustable Strap
- * Maintenance Free



Respirator Mask c/w Valve

Code	Model	Description	Packing
PCRM9620	9620	12pcs/box	20



- * 95 percent filtration efficiency against certain non-oil based particles
- * FFP2 rating offer protection form solid and liquid aerosol variants
- * Exhalation valve for extra comfort
- * Low breathing resistance with high filtration efficiency
- * Adjustable noise-piece and inner foam provide a custom seal
- * Adjustable Strap
- * Maintenance Free



Respirator Mask c/w Valve - (Active Carbon)

Code	Model	Description	Packing
PCRM8226	8226	12pcs/box	20box/ctn



- * Comforms to EN149:2001 + A1:2009 FFP2 standards
- * Active Carbon pre-filter
- * Exhalation valve for extra comfort
- * Low breathing resistance with high filtration efficiency
- * Adjustable noise-piece and inner foam provide a custom seal
- * Maintenance Free



Particular Respirator Mask

Code	Model	Description	Packing
3MR8210	8210	20pcs/box	8



- * 95 percent filtration efficiency against certain non-oil based particles
- * Two-strap design with welded dual point attachment helps provide a secure seal
- * Cushioning nose foam
- * Adjustable noseclip helps provide a custom fit and secure seal
- * Lightweight construction promotes greater worker acceptance and may help increase wear time
- * Advanced electrostatic media is designed for ease of breathing



Mask-Single Respirator + Catridge

Code	Model	Brand	Packing
PCRN305	NP305	Picasaf	40



- * Good quality for heavyduty usage
- * lightweight and soft to the face
- * Exhalation valve for extra comfort
- * Comfortable head cradle with adjustable suspension
- * Available with single and twin filter cartridges



Mask-Double Respirator + Catridge

Code	Model	Brand	Packing
PCRN306	NP306	Picasaf	50



- * Good quality for heavyduty usage
- * lightweight and soft to the face
- * Exhalation valve for extra comfort
- * Comfortable head cradle with adjustable suspension
- * Available with single and twin filter cartridges



Mask Catridge

Code	Model	Description	Packing
PCCRC201	RC201	Dust	3/360
PCCRC202	RC202	Chemical	6/360
PCCRC203	RC203	Paint Spray	6/360



Mouth Mask

Code	Description	Packing
PCMMCS	Cotton Sponge	100



* 50Pcs/Box





PVC Dust Mask

Code	Model	Brand	Packing
PCDM9011	9011	Picasaf	200



- * PE frame covered by filter media
- * Lightweight, comfortable & economical againsts non-toxic & large dust



PVC Dust Mask Refill

Code	Description	Brand	Packing
PCDMRF	Refill	Picasaf	50/500



Small / Medium Half Face Respirator

Code	Model	Packing
3MR3200	3200	20



- * Low profile design allows a wide field of vision
- * Lightweight makes long period of wear bearable
- * Soft, elastomeric face-fit secures a lasting comfort
- * Unique easy to don/doff strap system



Organic Vapor Cartridge

Code	Model	Packing
3MR3311K55	3311k-55	6/60



Filter Holder

Code	Model	Packing
3MR3700	3700	10/100



- * Two customised Asian size face pieces for more secure fit and seal
- * Textured face piece to prevent slipping and maintain consistent seal at all times
- * Compact design increases vision and safety
- * Lightweight body and cradle head harness increase comfort
- * Minimal replaceable parts to save space, time and money
- * Snap fit cartridges for easy assembly
- * Drop-down strap for wearer convenience and acceptance



Respirator Kit

Code	Model	Packing
3MR320055	3200-55	12

3M

- * Low profile design allows a wide field of vision
- * Lightweight makes long period of wear bearable
- * Soft, elastomeric face-fit secures a lasting comfort
- * Unique easy to don/doff strap system



Half Mask

Code	Model	Packing
3MR6200	6200	24

3M

- * This series combines comfort and convenience
- * Comfortable soft, lightweight facepiece with easy-to-adjust head straps
- * NIOSH approved for negative pressure air purifying and supplied air dual airline applications
- * Can be disassembled, cleaned and reused



Full Mask

Code	Model	Packing
3MR6800	6800	4

3M

- * Large lens provides a wide field of view for excellent visibility
- * Lightweight well-balanced design and silicone facepiece for enhanced comfort, durability and ease of cleaning
- * Available in air-purifying and supplied air respirator modes
- * Center adapter directs exhaled breath downward



Organic Vapor Cartridge

Code	Model	Description	Packing
3MR6001	6001	20pcs/box	30/60

3M

- * NIOSH approved for protection against certain organic vapors
- * Swept-back design allows an enhanced field of view and comfort
- * Bayonet compatibility allows use with many 3M half and full facepiece designs
- * Wide range of applications reduces inventory needs



Acid Gas Cartridge

Code	Model	Packing
3MR6002	6002	30/60

3M

- * Acid gas cartridge
- * Swept-back design for enhanced field of view and balance
- * Use with 3M™ Reusable Respirators
- * Wide range of applications reduces inventory needs



Organic Vapor / Acid Gas

Code	Model	Packing
3MR6003	6003	30/60

3M

- * NIOSH approved for protection against certain organic vapors or acid gases
- * Swept-back design allows an enhanced field of view and comfort
- * Bayonet compatibility allows use with many 3M half and full facepiece designs
- * Wide range of applications reduces inventory needs



Ammonia Methylamine Cartridge

Code	Model	Packing
3MR6004	6004	200

3M

- * Ammonia and methylamine cartridge
- * Swept-back design for enhanced field of view and balance
- * Use with 3M™ Reusable Respirators



Mercury Vapor / Chlorine Cartridge

Code	Model	Packing
3MR6009	6009	60

3M

- * NIOSH approved for protection against mercury vapor, chlorine or sulfur dioxide and certain particulates
- * Swept-back design allows an enhanced field of view and comfort
- * Bayonet compatibility allows use with many 3M half and full facepiece designs
- * Passive End-of-Service-Life Indicator (ESLI) for mercury vapor shows when cartridges need to be replaced



Filter Retainer

Code	Model	Packing
3MR501	501	5/100

3M

- * Approved 3M system component
- * Designed to hold 3M Particulate Filter 5N11 and 5P71/07194 (AAD)
- * Component works with 3M Respirator 5000 Series, 3M Cartridges 6000 Series and 3M™ Filter Adapter 603
- * Color: Translucent white



Filter Adapter

Code	Model	Packing
3MR502	502	5/100

3M

- * Approved 3M system component
- * Designed to attach 3M™ Particulate Filters 2000/2200 Series and 7093/7093C to 3M gas/vapor respirators and cartridges
- * Component works with 3M Respirator 5000 Series and 3M Cartridges 6000 Series (sold separately)
- * Particle filter adapters increases scope of potential applications



Particulate Filter - N95

Code	Model	Packing
3MR5N11	5N11	10/100

3M

- * NIOSH approved for environments containing certain non-oil-based particles
- * Use on top of 3M gas and vapor cartridges with 3M™ 501 Retainer when particles are also present
- * Use on top of 3M™ 603 Filter Holder and 3M™ 501 Retainer to reduce particulate exposure
- * Replaceable particle filter for cost savings



Fire-Retardant Coverall (FRC) - Reflective resistant garments protect the wearer from heat & flash, providing protection or escape and minimizing the potential burn injury.

- * 100% cotton Drill,
- * Zipper & snap buttons
- * 2 chest pocket, flap covers with snap button
- * 1 handphone & 1 pen pocket,
- * 2 side pocket, 1 sleeve pocket,
- * 2 rank strap,

**Size :S(38), M(40), L(42), XL(44), 2XL(46), 3XL(48)

SIRIM Report No: 2015CE0830
Ref Std: 1. BS EN 531:1995 2. BS EN 532:1995
Complied Flame to Edge,
Flaming Debrics Duration of Afterglow,
Duration of afterfame



Fire-Retardant Coverall (FRC) - Reflective

Code	Color	Size	Brand	Packing
PCFRC9351SDG	Dark Green	S	Picasaf	24
PCFRC9351MDG	Dark Green	M	Picasaf	24
PCFRC9351LDG	Dark Green	L	Picasaf	24
PCFRC9351XLDG	Dark Green	XL	Picasaf	24
PCFRC93512XLDG	Dark Green	2XL	Picasaf	24
PCFRC93513XLDG	Dark Green	3XL	Picasaf	24
PCFRC93514XLDG	Dark Green	4XL	Picasaf	24



Cotton Jacket - 9501

Code	Color	Size	Packing
PCCJ9501MNB	N Blue	M	48
PCCJ9501LNB	N Blue	L	48
PCCJ9501XLNB	N Blue	XL	48
PCCJ95012XLNB	N Blue	XXL	48



- * 100% cotton Drill,
- * 2 chest pocket, flap covers with snap button
- * Brand : Winsir

* Size :S(38), M(40), L(42), XL(44), 2XL(46), 3XL(48)





- * Make of 100% cotton for coolness and comfort
- * Double zip front, convertible Long/short sleeve.
- * Heavy duty use
- * 2 chest pocket, flap covers with snap button
- * 1 handphone & 1 pen pocket,
- * 2 side pocket, 1 sleeve pocket, 2 rank strap,
- * Elasticized Stretchable Back Waist
- * Care: Home and Industrial Wash

* Brand : Picasaf

**Size :S(38), M(40), L(42), XL(44), 2XL(46), 3XL(48)



Zip

9521 Cotton Overall (Boiler Suit) - THICK

Code	Color	Size	Packing
PCO9521SLB	L Blue	S	24
PCO9521MLB	L Blue	M	24
PCO9521LLB	L Blue	L	24
PCO9521XLLB	L Blue	XL	24
PCO95212XLB	L Blue	2XL	24
PCO95213XLB	L Blue	3XL	24
PCO9521SNB	N Blue	S	24
PCO9521MNB	N Blue	M	24
PCO9521LNB	N Blue	L	24
PCO9521XLNB	N Blue	XL	24
PCO95212XLNB	N Blue	2XL	24
PCO95213XLNB	N Blue	3XL	24

Code	Color	Size	Packing
PCO9521SO	Orange	S	24
PCO9521MO	Orange	M	24
PCO9521LO	Orange	L	24
PCO9521XLO	Orange	XL	24
PCO95212XLO	Orange	2XL	24
PCO95213XLO	Orange	3XL	24
PCO9521SR	Red	S	24
PCO9521MR	Red	M	24
PCO9521LR	Red	L	24
PCO9521XLR	Red	XL	24
PCO95212XLR	Red	2XL	24
PCO95213XLR	Red	3XL	24



TC Coverall (Reflective) - 3022

Code	Color	Size	Packing
PCTC3022MNB	N Blue	M	24
PCTC3022LNB	N Blue	L	24
PCTC3022XLNB	N Blue	XL	24
PCTC30222XLNB	N Blue	2XL	24
PCTC30223XLNB	N Blue	3XL	24
PCTC3022SLB	L Blue	S	24
PCTC3022MLB	L Blue	M	24
PCTC3022LLB	L Blue	L	24
PCTC3022XLLB	L Blue	XL	24
PCTC30222XLLB	L Blue	2XL	24
PCTC3022MR	Red	M	24
PCTC3022LR	Red	L	24
PCTC3022XLR	Red	XL	24
PCTC30222XLR	Red	2XL	24
PCTC30223XLR	Red	3XL	24
PCTC3022SO	Orange	S	24
PCTC3022MO	Orange	M	24
PCTC3022LO	Orange	L	24
PCTC3022XLO	Orange	XL	24
PCTC30222XLO	Orange	2XL	24
PCTC30223XLO	Orange	3XL	24

* Material : Terry Cotton

**Size :S(38), M(40), L(42), XL(44), 2XL(46), 3XL(48)



TC Coverall (Plain) - 3021

Code	Color	Size	Packing
PCTC3021MNB	N Blue	M	24
PCTC3021LNB	N Blue	L	24
PCTC3021XLNB	N Blue	XL	24
PCTC30212XLNB	N Blue	2XL	24
PCTC30213XLNB	N Blue	3XL	24
PCTC3021SR	Red	S	24
PCTC3021MR	Red	M	24
PCTC3021LR	Red	L	24
PCTC3021XLR	Red	XL	24
PCTC30212XLR	Red	2XL	24
PCTC30213XLR	Red	3XL	24
PCTC3021SO	Orange	S	24
PCTC3021MO	Orange	M	24
PCTC3021LO	Orange	L	24
PCTC3021XLO	Orange	XL	24
PCTC30212XLO	Orange	2XL	24
PCTC30213XLO	Orange	3XL	24

* Material : Terry Cotton

**Size :S(38), M(40), L(42), XL(44), 2XL(46), 3XL(48)



Thin Vest Coat (Net / Mesh Fabric)

Code	Model	Color	Packing
PCVCT7001	7001	Lemon Yellow	200
PCVCT7000	7000	Orange Red	200



- * Velcro fastener with black bidding to garment edges
- * Light weight
- * Heavy duty
- * Washable



Thin Vest Coat (PVC White Reflective)

Code	Model	Color	Packing
PCVCP7131	P7131	White / Lemon	100
PCVCP7130	P7130	White / Orange	100



- * Reflective : 2 x 50mm
- * Velcro fastener with black bidding to garment edges
- * Light weight
- * Heavy duty
- * Washable



Thin Vest Coat (PVC White Reflective)

Code	Model	Color	Packing
PCVCP7241Z	P7241Z	White / Lemon	100
PCVCP7240Z	P7240Z	White / Orange	100



- * Reflective : 4 x 50mm
- * Zipper fastener with black bidding to garment edges
- * Light weight
- * Heavy duty
- * Washable



Thin Vest Coat (Silver Reflective)

Code	Model	Color	Packing
PCVCT7300	T7300	Grey / Orange	100
PCVCT7301	T7301	Grey / Lemon	100



- * Reflective : 2 x 50mm
- * Velcro fastener with black bidding to garment edges
- * Light weight
- * Heavy duty
- * Washable



Thick Vest Coat

Code	Model	Color	Packing
PCVCPR150	PR150	White / Lemon	100



- * Reflective : 1 x 50mm
- * Velcro fastener with black bidding to garment edges
- * Light weight
- * Heavy duty
- * Washable





Button & Zip



H/Duty Raincoat (Lining)

Code	Model	Size	Packing
PCRCF4/6M	F4/6	M	24
PCRCF4/6L	F4/6	L	24
PCRCF4/6XL	F4/6	XL	24
PCRCF4/62XL	F4/6	2XL	24
PCRCF4/63XL	F4/6	3XL	24



- * Brand : Picasaf
- * PVC / Polyester PVC
- * Thickness : 0.35mm , Zip front & button
- Attach Hood & Breathable Hole back



Zip



Button



Button & Zip

H/Duty Rainsuit (Lining)

Code	Model	Size	Packing
PCRCF4/7M	F4/7	M	24
PCRCF4/7L	F4/7	L	24
PCRCF4/7XL	F4/7	XL	24
PCRCF4/72XL	F4/7	2XL	24
PCRCF4/73XL	F4/7	3XL	24



- * Brand : Picasaf
- * PVC / Polyester PVC
- * Thickness : 0.35mm , Zip front & button
- Attach Hood & Breathable Hole back
- Size :S(38), M(40), L(42), XL(44), 2XL(46), 3XL(48)



Zip



Button



PVC Raincoat

Code	Model	Size	Packing
PCRC250L	250	L	50/48
PCRC250XL	250	XL	50/48



- *Color: Yellow
- *Thickness: 0.13mm



Button



PVC Rainsuit

Code	Model	Size	Packing
PCRS600L	600	L	50/48
PCRS600XL	600	XL	50/48



- *Color: Yellow
- *Thickness: 0.13mm



Button



Thin Vest Coat (PVC White Reflective)

Code	Model	Description	Packing
PCVCP7131S	P7131S	Security	100



- * Reflective : 2 x 50mm
- * Velcro fastener with black bidding to garment edges
- * Light weight
- * Heavy duty
- * Washable



Velcro



Mesh Vest with LED

Code	Model	Color	Packing
PCVCP7260	P7260	Yellow / Orange	50



- * Reflective : 4 x 50mm
- * Use 2 x AA battery (Not included)
- * Light weight
- * Heavy duty
- * Washable



Mesh Vest (PVC Reflective)

Code	Model	Color	Packing
PCVCP7160	P7160	Yellow / Orange	100
PCVCP7161	P7161	White / Lemon	100



- * Reflective : 4 x 50mm
- * Density 60gsm
- * Light weight
- * Heavy duty
- * Washable



Thick Mesh Vest (PVC Reflective)

Code	Model	Color	Packing
PCVCP7162	P7162	White / Black	100
PCVCP7163	P7163	Yellow / Black	100



- * Reflective : 4 x 50mm
- * Density 120gsm
- * Light weight
- * Heavy duty
- * Washable



Clip on Elastic Vest

Code	Model	Color	Packing
PCVCE7361	E7361	Grey / Lemon	100
PCVCE7360	E7360	Grey / Orange	100



- * Strap belt
- * Light weight
- * Heavy duty
- * Washable



Front

Black

Skeleton PVC Vest Coat

Code	Model	Color	Packing
PCVCP7341	P7341	Lemon	



- * Velcro fastener
- * Light weight
- * Heavy duty
- * Washable



Thick Vest Coat

Code	Color	Brand	Packing
PCVCPL	Plain Lemon	Picasaf	100



- * Velcro fastener with black bidding to garment edges
- * Light weight
- * Heavy duty
- * Washable



Velcro



Sleeves Split Arm Sleeves

Code	Model	Brand	Packing
PCLAS9363	9363	Picasaf	50pr



* Open Front, leather strip back



Arm Sleeves

Code	Size	Brand	Packing
PCASJC	L455mm x W173mm	Picasaf	500



Arm Sleeves Knitted

Code	Description	Brand	Packing
PCASKN	Knitted	Picasaf	12/120



Head Cover

Code	Description	Color	Packing
PCHCCB	Canvas	Blue	12/300



Head Cover Knitted

Code	Description	Brand	Packing
PCHCKN	Knitted, Ninja	Picasaf	12/300





Split Leather Apron

Code	Model	Size	Packing
PCLA9362	9362	22"x33"	50



- * These Apron are made of good quality leather, with neck loop and waist tie
- * Provide ample body protection and lightweight



Thin PVC Apron

Code	Size	Thin	Packing
PCPAT2X3	24"x36"	0.12mm	100



- * Great resistant to chemical fats, oils and grease
- * Suitable for all general application



H/Duty PVC Apron (Lining)

Code	Size	Color	Packing
PCPAL2X4B	2'x4'	Black	50



- * Great resistant to chemical fats, oils and grease
- * Suitable for heavy duty application



Jean Canvas Apron with Pocket

Code	Size	Description	Packing
PCJAP2X3	2'x3'	Pocket	300



- * Great resistant to chemical fats, oils and grease
- * Suitable for all general application



H/Duty Vinly (Translucent) Apron

Code	Size	Description	Packing
PCVAH2X4	2'x4'	0.25mm	5pc/pkt



- * Great resistant to chemical fats, oils and grease
- * Suitable for heavy duty application



Welding Leather Jacket

Code	Model	Description	Packing
PCLJ9361	9361	Eurotech	12



* Natural Cow Grain Leather, able to breath.
Velcro Front, CE EN 340, by Picasaf



Life Jacket

Code	Model	Size	Packing
PCLJ9865	9865	24"x36"	10/ctn



Life Buoy

Code	Model	Size	Color	Packing
PCLB30W	9830	30"	White	10
PCLB30R	9830	30"	Red	10



* Buoyance > 7.9kg



Disposable Coverall PP

Code	Size	Brand	Packing
PCDCPPM	M	Picasaf	50
PCDCPPL	L	Picasaf	50
PCDCPPXL	XL	Picasaf	50
PCDCPPXXL	XXL	Picasaf	50



- * Helps provide basic protection against dusts and light liquid splashes
- * Elasticated waist, ankles, and wrists for convenience and freedom of movement
- * Zip Front, elasticated cuffs and ankles, elastic hood, polyethylene coating for wet condition
- * Color : White



Zip



Disposable Coverall Microporous

Code	Size	Brand	Packing
PCDCMPM	M	Picasaf	50
PCDCMPL	L	Picasaf	50
PCDCMPXL	XL	Picasaf	50
PCDCMPXXL	XXL	Picasaf	50



- * Helps provide basic protection against dusts and light liquid splashes
- * Elasticated waist, ankles, and wrists for convenience and freedom of movement
- * Zip Front, elasticated cuffs and ankles, elastic hood, polyethylene coating for wet condition
- * Color : White



Zip



Tyvek Coverall

Code	Size	Brand	Packing
TYVEK-M	M	Dupont	50
TYVEK-L	L	Dupont	50
TYVEK-XL	XL	Dupont	50

- * Helps provide basic protection against dusts and light liquid splashes
- * Elasticated waist, ankles, and wrists for convenience and freedom of movement
- * Zip Front, elasticated cuffs and ankles, elastic hood, polyethylene coating for wet condition
- * Color : White



Zip



Disposable Micro-porous with Coverall

Code	Model	Size	Packing
3M4510S	4510	S	20
3M4510M	4510	M	20
3M4510L	4510	L	20
3M4510XL	4510	XL	20
3M45102XL	4510	2XL	20
3M45103XL	4510	3XL	20



- * Helps provide basic protection against dusts and light liquid splashes
- * Elasticated waist, ankles, and wrists for convenience and freedom of movement
- * Two-way zipper with storm flap for convenience and additional protection
- * Low-linting properties and anti-static coating on both sides



Zip



Disposable Lab Coat - PP

Code	Size	Color	Packing
PCDLCPPPL	L	White	50
PCDLCPPXL	XL	White	50



- * Helps provide basic protection against dusts and light liquid splashes
- * Brand : Picasaf



Non-woven Mop Cap-Clip

Code	Description	Elastic	Packing
PCDMCSC	21" White	Single Clip	20/box
PCDMCDC	21" White	Double Clip	20/box



* Packaging : 100pcs/pkt

Disposable Beard Cover

Code	Color	Brand	Packing
PCDBC	White	Picasaf	100pkt/ctn



* 100pc/polybag
* 40gm



Disposable Shoe Cover

Code	Description	Brand	Packing
PCDSCPE	CPE	Picasaf	50/ctn



* Size: 15cm x 36cm
* 100pc/polybag



Disposable Shoe Cover

Code	Description	Brand	Packing
PCDSCNW	Non-woven	Picasaf	20pkt/ctn



* 100pc/polybag
* 40gm



Split Leather Leg-Guard

Code	Model	Description	Packing
PCLLG9364	9364	Velcro Fasten Strap	50pr





Nitrile Rubber Glove

Code	Length	Color	Thickness	Packing
PCNRG13	13"	Green	15mil	144pr



- * Made from high quality nitrile rubber for long working life
- * Resistance to variety of chemical product and against abrasion & punctures
- * Suitable for heavy duty application



Nitrile Rubber Glove

Code	Length	Color	Thickness	Packing
PCNRG18	18"	Green	22mil	6/36pr



- * Made from high quality nitrile rubber for long working life
- * Resistance to variety of chemical product and against abrasion & punctures
- * Suitable for heavy duty application



Household Rubber Glove

Code	Length	Size	Brand	Packing
LCHRG13M	13"	M	Lacot	144pr
LCHRG13L	13"	L	Lacot	144pr

- * Resistance to variety of chemical product and against abrasion & punctures
- * Suitable for general application



Household Rubber Glove

Code	Length	Color	Brand	Packing
DPHRG15	15"	Pink	Dupallo	10dz

- * Resistance to variety of chemical product and against abrasion & punctures
- * Suitable for general application



Industrial Rubber Glove

Code	Length	Color	Brand	Packing
PCIRG13	13"	Black	Elephant	10dz



- * Resistance to variety of chemical product and against abrasion & punctures
- * Suitable for heavy duty application



Industrial Rubber Glove

Code	Length	Color	Brand	Packing
PCIRG18	18"	Black	Camel	5dz



- * Resistance to variety of chemical product and against abrasion & punctures
- * Suitable for heavy duty application



Nitrile Disposable Gloves

Code	Description	Size	Packing
50124/S	Nitrile, Powder Free	S	10
50124/M	Nitrile, Powder Free	M	10
50124/L	Nitrile, Powder Free	L	10
50124/XL	Nitrile, Powder Free	XL	10

* Packing : 100pcs/box



Disposable Latex Finger Coat

Code	Description	Size	Packing
PCDLFC	Latex, 8 gross	L	20pkt



- * Dust free and powder free
- * Low sulphur content
- * Elongation >700%



Disposable PE Gloves

Code	Description	Packing
PCDPEG	Free Size	100pkt



* 100pcs/pkt



Latex Exam Glove

Code	Description	Size	Packing
PCLEGS	Powder	S	10 Box
PCLEGM	Powder	M	10 Box
PCLEGL	Powder	L	10 Box
PCLEGXL	Powder	XL	10 Box
PCLEGPFS	Powder Free	S	10 Box
PCLEGPFM	Powder Free	M	10 Box
PCLEGPLF	Powder Free	L	10 Box
PCLEGPFXL	Powder Free	XL	10 Box



* 100pcs/Box



Vinly Exam Glove

Code	Size	Description	Packing
PCVEGM	M	Picasaf	10
PCVEGL	L	Picasaf	10



* 100pcs/pkt



White Knitted Gloves

Code	Model	Nt.Wt	Packing
PCWKGR104	R104	350g	65dz



- * Quality white cotton/polyester string knit inspection gloves with elasticized wrist, can be worn on either hand
- * Brand : Rabbit



White Knitted Gloves

Code	Model	Nt.Wt	Packing
PCWKGB104	B104	380g	65dz



- * Quality white cotton/polyester string knit inspection gloves with elasticized wrist, can be worn on either hand
- * Brand : Diamond



White Knitted Gloves

Code	Model	Nt.Wt	Packing
PCWKGA105	A105	480g	60dz



- * Quality white cotton/polyester string knit inspection gloves with elasticized wrist, can be worn on either hand
- * Brand : Diamond



Knitted Cotton Gloves

Code	Model	Nt.Wt	Packing
PCWKGA106	A106	600g	50dz



- * Quality white cotton/polyester string knit inspection gloves with elasticized wrist, can be worn on either hand
- * Brand : Diamond



Knitted Cotton Gloves

Code	Size	Color	Packing
PCWKG15	15"	White	30dz



- * Quality white cotton/polyester string knit inspection gloves with elasticized wrist, can be worn on either hand
- * Brand : Diamond



Traffic Button Glove (Inter - Lock)

Code	Color	Description	Packing
PCTBGW	White	TC (police)	50dz



- * Comfortable soft feel
- * Snap button closure
- * Gloves are also worn when attending night functions



Batik Knitted Glove

Code	Model	Nt.Wt	Packing
PCBKGA500	A500	500g	60dz



- * Quality cotton/polyester string knit inspection gloves with elasticized wrist, can be worn on either hand
- * Suitable for Automobile Industry, Construction & Machinery Industry



Batik Knitted Glove

Code	Model	Nt.Wt	Packing
PCBKGA600	A240	600g	50dz



- * Quality cotton/polyester string knit inspection gloves with elasticized wrist, can be worn on either hand
- * Suitable for Automobile Industry, Construction & Machinery Industry
- * Brand : Rabbit



Batik Knitted Glove

Code	Model	Nt.Wt	Packing
PCBKGA700	M1200	700g	50dz
PCBKGA750	G1200	750g	50dz



- * Quality cotton/polyester string knit inspection gloves with elasticized wrist, can be worn on either hand
- * Suitable for Automobile Industry, Construction & Machinery Industry
- * Brand : Rabbit



Batik Knitted Glove

Code	Model	Nt.Wt	Packing
PCBKGA800	H1200	800g	40dz



- * Quality cotton/polyester string knit inspection gloves with elasticized wrist, can be worn on either hand
- * Suitable for Automobile Industry, Construction & Machinery Industry



Batik Knitted Glove

Code	Model	Nt.Wt	Packing
PCBKGA850	B1200	850g	50dz



- * Quality cotton/polyester string knit inspection gloves with elasticized wrist, can be worn on either hand
- * Suitable for Automobile Industry, Construction & Machinery Industry



Batik Knitted Glove

Code	Model	Nt.Wt	Packing
PCBKG900RW	E1200	900g	40dz



- * Quality cotton/polyester string knit inspection gloves with elasticized wrist, can be worn on either hand
- * Suitable for Automobile Industry, Construction & Machinery Industry



Batik Knitted Glove

Code	Model	Nt.Wt	Packing
PCBKG1000	AA1200	1000g	50dz



- * Quality cotton/polyester string knit inspection gloves with elasticized wrist, can be worn on either hand
- * Suitable for Automobile Industry, Construction & Machinery Industry



Poly Dot Knitted Glove

Code	Dot	Nt.Wt	Packing
PCPDKG600	Color	600g	50dz
PCPDKG660	Color	660g	50dz



- * Small PVC dots on both palm & both palm and forefinger for a solid grip against any coated object
- * Made from natural cotton/canvas gloves that come with knitted wrist
- * Cotton/polyester string knit. Wear on either hand
- * Elasticized wrist.
- * Suitable for Automobile Industry, Construction & Machinery Industry



Putkal Dotted Canvas Glove

Code	Dot	Description	Packing
PCPDCG8	Black	8oz	25dz



- * Small PVC dots on both palm & both palm and forefinger for a solid grip against any coated object
- * Made from natural cotton/canvas gloves that come with knitted wrist
- * Cotton/polyester string knit. Wear on either hand
- * Elasticized wrist.
- * Suitable for Automobile Industry, Construction & Machinery Industry



Rubber Grip Yarn Glove

Code	Color	Description	Packing
PCRGYG	Orange	Taiwan	12/144



- * Excellent Grip on Glass
- * Rubber coating provides superior abrasion resistance
- * Textured palm for extra grip - wet or dry
- * Breathable knit back for a comfortable fit in hot weather
- * Seamless fit provides maximum flexibility and high dexterity



blade cut resistance

Cut 5 PU Coated Glove

Code	Size	Palm	Back	Packing
PCC5PCGM	8/M	PU/HPPE	HPPE	12/120
PCC5PCGL	9/L	PU/HPPE	HPPE	12/120
PCC5PCGXL	10/XL	PU/HPPE	HPPE	12/120



	Color	Material	Gauges	Thickness
Palm	Grey			1mm
	Black and White	HPPE (High Performance Polyethylene)	13	
Back	Black and White	HPPE (High Performance Polyethylene)	13	
Lining				
Cuff	Black and White	HPPE (High Performance Polyethylene) + elastic	13	
Binding	Black	Polyester		



Latex Coated Knitted Glove

Code	Description	Size	Packing
PCSLCG8	Super Grip	8/M	12/120
PCSLCG9	Super Grip	9/L	12/120
PCSLCG10	Super Grip	10/XL	12/120



- * Quality latex will not get sticky & leave mark on surface
- * Dense liner & thick latex coating, good abrasion & puncture resistance
- * Textured palm for extra grip - wet or dry
- * Breathable knit back for a comfortable fit in hot weather
- * Seamless fit provides maximum flexibility and high dexterity



Rubber Coated Knitted Glove

Code	Color	Thread	Packing
PCRCGGY	Green Yellow	10s/2	12/120



- * Rubber coating provides superior abrasion resistance
- * Textured palm for extra grip - wet or dry
- * Breathable knit back for a comfortable fit in hot weather
- * Seamless fit provides maximum flexibility and high dexterity



Latex Coated Glove (Economic)

Code	Model	Color	Nt.Wt	Packing
GLC8700YL	S700	Green/Yellow	920g	12/120

- * Must Store in cold dry place, avoid sunlight
- * Low quality, latex will get sticky & leave mark over a period of short time
- * Lines is not dense, offer one-time or light duty job function



PVC Glove (Interlock Lining)

Code	Size	Color	Packing
PCPVCG11	11"	Red	10dz
PCPVCG14	14"	Red	10dz
PCPVCG18	18"	Red	10dz



- * Resistant to oil and grease
- * Interlock lined for easy on/off
- * Suitable Automotive, fisheries, pharmaceutical, petroleum refining, forestry, general purpose, maintenance, manufacturing



Nitrile Smooth Flexigrip Polyester Glove

Code	Size	Color	Packing
PCNSFGBB	8 / L	Black/Black	12/120
PCNSFGGW	8 / L	Grey/White	12/120



- * Comfortable, Light weight, Flexible, perform light duty work in all environment
- * Nitrile micro foam coating offers excellent abrasion resistant, chemical and oil resistant
- * Nitrile offer better oil resistant than Rubber
- * Excellent grip with durable coating
- * Good dexterity, flexibility and tactility
- * Spandex wrist for a snug fit



excellent abrasion resistant



Nylon Spandex Nitrile Glove

Code	Color	Brand	Packing
PCNSGSB	Sandy Black	Picasaf	12/120



- * Nitrile micro foam coating offers excellent abrasion resistant, chemical and oil resistant
- * Provides breathability, dexterity and excellent grip on wet and dry surfaces
- * Good dexterity, flexibility and tactility
- * Versatile for use in automotive industries and general works
- * Spandex wrist for a snug fit



Touchscreen



Comfort Touchscreen PU Poly Glove

Code	Color	Brand	Packing
PCCTPGBG	Black/Grey	Picasaf	12/120



- * Touchscreen type: PU coated
- * Anti-static, light weight, comfortable, flexible
- * Comfortable, Light weight, Flexible, perform light duty work in all environment
- * Excellent grip with durable coating
- * Good dexterity, flexibility and tactility
- * Versatile for use in electronics industries and general works
- * Spandex wrist for a snug fit
- * Contents low DMF



Nylon Glove Liner

Code	Nt.Wt	Color	Packing
PCNGL13G	13g	White / Green	50



- * Form-fitting design for a skin-tight fit
- * Thin fabric for optimum dexterity and sense of touch
- * Cuffs are color coded for easy sorting
- * Washable



Furniture Hide S/Leather Glove

Code	Size	Description	Packing
PCSLGFH	10.5"	1 color	10dz



- * Premium quality chrome split leather glove
- * Rubberise cuff with vein protection patch
- * Pached palm with quality cotton lined for extra comfort
- * Offers outstanding abrasion resistance for workers in agricultural, forestry, construction etc.



Furniture Hide S/Leather Glove

Code	Size	Description	Packing
PCSLGFHFP	10.5"	Full Palm	10dz



- * Premium quality chrome split leather glove
- * Rubberise cuff with vein protection patch
- * Pached palm with quality cotton lined for extra comfort
- * Offers outstanding abrasion resistance for workers in agricultural, forestry, construction etc.



Blue Jean BJ S/Leather Glove

Code	Size	Description	Packing
PCSLGBJ	10.5"	18.5kg+-	10dz



- * Premium quality chrome split leather glove
- * Rubberise cuff with vein protection patch
- * Pached palm with quality cotton lined for extra comfort
- * Offers outstanding abrasion resistance for workers in agricultural, forestry, construction etc.



Rainbow BJ S/Leather Glove

Code	Size	Packing
PCSLGFHRB	10.5"	10dz



- * Premium quality chrome split leather glove
- * Rubberise cuff with vein protection patch
- * Pached palm with quality cotton lined for extra comfort
- * Offers outstanding abrasion resistance for workers in agricultural, forestry, construction etc.



Premium Working S/Leather Glove

Code	Size	Color	Packing
PCPWSLGY	10.5"	Yellow	10dz



- * Premium quality chrome split leather glove
- * Rubberise cuff with vein protection patch
- * Pached palm with quality cotton lined for extra comfort
- * Offers outstanding abrasion resistance for workers in agricultural, forestry, construction etc.





Soft Grain Argon Glove

Code	Size	Color	Packing
PCAGSGMY	M	Yellow	120pr
PCAGSGLY	L	Yellow	120pr



- * Argon Glove White Brown Line made of high quality full grain leather with binding tape
- * Extra comfort and offer high durability.



Asbestos Glove

Code	Size	Description	Packing
PCAB15	15"	350°C	5/50pr
PCAB18	18"	350°C	5/50pr



- * Comfortable to wear, Long lasting, Stretchable, Fine-finish
- * High Quality spatial Asbestos cloth
- * Superior flannel lining
- * Recommended safety temp. <300°C



Cow Grain Driver Glove

Code	Size	Color	Packing
PCDGCG	10.5" (27cm)	Beige	120pr



- * Cow grain driver's glove, regular grade offers good abrasion resistance, gunn cut and straight thumb construction, unlined for greater ventilation.



Full Lined Leather Glove

Code	Size	Color	Packing
PCFLG13MQG	13" MQG	Green	10dz



- * Medium Quality
- * Comfort, durability, excellent abrasion resistance, and breathability
- * Fully welted to protect seams from abrasions
- * Full lined for extra comfort
- * One-piece back for extended glove life
- * Wing thumb increases comfort in open-handed work



Full Lined Leather Glove

Code	Size	Color	Packing
PCFLG14HQR	14" HQR	Red	6dz



- (Formerly Known as CYBER BCR)
- * Medium Quality, Thick, Reinforced Strip
- * Comfort, durability, excellent abrasion resistance, and breathability
- * Fully welted to protect seams from abrasions
- * Full lined for extra comfort
- * One-piece back for extended glove life
- * Wing thumb increases comfort in open-handed work



Full Lined Leather Glove

Code	Size	Color	Packing
PCFLG14WSB	14" WSB	Blue	5dz



- * High Quality, Thick, Reinforced Strip
- * Comfort, durability, excellent abrasion resistance, and breathability
- * Fully welted to protect seams from abrasions
- * Full lined for extra comfort
- * One-piece back for extended glove life
- * Wing thumb increases comfort in open-handed work



Full Lined Leather Glove

Code	Size	Color	Packing
PCFLG14WSR	14" WSR	Red	5dz



- * Medium Quality, Thick, Reinforced Strip
- * Comfort, durability, excellent abrasion resistance, and breathability
- * Fully welted to protect seams from abrasions
- * Full lined for extra comfort
- * One-piece back for extended glove life
- * Wing thumb increases comfort in open-handed work



Full Lined Leather Glove

Code	Size	Color	Packing
PCFLG18HQR	18" HQR	Red	60pr



- * Medium Quality, Thick, Reinforced Strip
- * Comfort, durability, excellent abrasion resistance, and breathability
- * Fully welted to protect seams from abrasions
- * Full lined for extra comfort
- * One-piece back for extended glove life
- * Wing thumb increases comfort in open-handed work





Laced Shoe

Code	Model	Size	Packing
PCSS600-37	600	37 / 4	10
PCSS600-38	600	38 / 5	10
PCSS600-39	600	39 / 6	10
PCSS600-40	600	40 / 7 (US)	10
PCSS600-41	600	41 / 7 (UK)	10
PCSS600-42	600	42 / 8	10
PCSS600-43	600	43 / 9	10
PCSS600-44	600	44 / 10	10
PCSS600-45	600	45 / 11	10



* Nitrile Rubber Sole
* Black Smooth Leather
* Oil / Acid Resistant
* Steel Toe Cap
(EN 12568 200 joule)

* Breathable Black Mesh
* Mid Steel Plate Penetration: 1100 Newtons
* Heat Resistant, Cold Insulation
* Anti Slip, Heel Energy (20 Joule)
* Ventilates Moisture



Ankle Boot

Code	Model	Size	Packing
PCSS602-37	602	37 / 4	10
PCSS602-38	602	38 / 5	10
PCSS602-39	602	39 / 6	10
PCSS602-40	602	40 / 7 (US)	10
PCSS602-41	602	41 / 7 (UK)	10
PCSS602-42	602	42 / 8	10
PCSS602-43	602	43 / 9	10
PCSS602-44	602	44 / 10	10
PCSS602-45	602	45 / 11	10



* Nitrile Rubber Sole
* Black Smooth Leather
* Oil / Acid Resistant
* Steel Toe Cap
(EN 12568 200 joule)

* Breathable Black Mesh
* Mid Steel Plate Penetration: 1100 Newtons
* Heat Resistant, Cold Insulation
* Anti Slip, Heel Energy (20 Joule)
* Ventilates Moisture



Leather



Acid Resistant



Oil Resistant



200J Toe Protection



Heat Resistant Sole Up To 300°C During 1 Minute



Cold Insulation of Sole Complex



Nitrile Rubber Sole (no expiry date) with side stitching



Anti Slip



Steel Sole 1100 Newton



Heel Energy 20 Joule



Ventilates Moisture



Style & Comfort

Ventilates Moisture

High Quality Leather

Heat Resistant Sole Up To 300°C During 1 Minute

Cold Insulation of Sole Complex

Steel Toe Cap 200 Joule EN 12568

Acid Resistant Oil Resistant

Nitrile Rubber Sole, Anti Slip, Steel Sole(1100 Newton), Heel Energy(20 Joule)





Texan Boot

Code	Model	Size	Packing
PCSS9105-38	9105	38 / 5	10
PCSS9105-39	9105	39 / 6	10
PCSS9105-40	9105	40 / 7 (US)	10
PCSS9105-41	9105	41 / 7 (UK)	10
PCSS9105-42	9105	42 / 8	10
PCSS9105-43	9105	43 / 9	10
PCSS9105-44	9105	44 / 10	10
PCSS9105-45	9105	45 / 11	10



- * Nitrile Rubber Sole
- * Black Smooth Leather
- * Oil / Acid Resistant
- * Steel Toe Cap (EN 12568 200 joule)

- * Breathable Black Mesh
- * Mid Steel Plate Penetration: 1100 Newtons
- * Heat Resistant, Cold Insulation
- * Anti Slip, Heel Energy (20 Joule)
- * Ventilates Moisture



Welding Boot (PVC)

Code	Model	Size	Packing
PCWB9152-39	9152	39 / 6	10
PCWB9152-41	9152	41 / 7	10
PCWB9152-42	9152	42 / 8	10
PCWB9152-43	9152	43 / 9	10
PCWB9152-44	9152	44 / 10	10
PCWB9152-45	9152	45 / 11	10



- * Material used are resistant to fats, acids, oils, solvent and many other chemicals
- * Specially design cleated sole for high slip resistance, maximum water dispersion and soil release
- * Optimal toe spring minimizes ctracking at flex points while ensuring the boots is easy and comfortable to walk with
- * Steel toe cap
- * EN ISO 20345



Welding Boot (PVC)

Code	Model	Size	Packing
PCWB9153-39	9153	39 / 6	10
PCWB9153-41	9153	41 / 7	10
PCWB9153-42	9153	42 / 8	10
PCWB9153-43	9153	43 / 9	10
PCWB9153-44	9153	44 / 10	10
PCWB9153-45	9153	45 / 11	10
PCWB9153-46	9153	46 / 12	10



- * Material used are resistant to fats, acids, oils, solvent and many other chemicals
- * Specially design cleated sole for high slip resistance, maximum water dispersion and soil release
- * Optimal toe spring minimizes ctracking at flex points while ensuring the boots is easy and comfortable to walk with
- * Steel toe cap, steel midsole
- * EN ISO 20345



Freedom SERIES



Relax			
Code	Model	Size	Packing
580-90-105	9010	38 / 5	10
580-90-106	9010	39 / 6	10
580-90-140	9010	40	10
580-90-107	9010	41 / 7	10
580-90-108	9010	42 / 8	10
580-90-109	9010	43 / 9	10
580-90-110	9010	44 / 10	10
580-90-111	9010	45 / 11	10
580-90-112	9010	46 / 12	10



UPPER - Brown Suede Leather With Yellow PU Strip
 COLLAR - Brown Suede Leather
 LINING - Breathable Grey Air Mesh
 TOE CAP - Steel EN345
 MIDPLATE - 4 Layer Kevlar EN12568: 2010
 SOLE - Black/ Yellow, Oil & Acid Resistant Rubber / EVA
 SPEC - EN ISO 20345: 2004/A 1 2007 SRA

Freedom SERIES



Joyful			
Code	Model	Size	Packing
580-90-205	9020	38 / 5	10
580-90-206	9020	39 / 6	10
580-90-240	9020	40	10
580-90-207	9020	41 / 7	10
580-90-208	9020	42 / 8	10
580-90-209	9020	43 / 9	10
580-90-210	9020	44 / 10	10
580-90-211	9020	45 / 11	10



UPPER - Brown Suede Leather With Yellow PU Strip
 COLLAR - Brown Suede Leather
 LINING - Breathable Grey Air Mesh
 TOE CAP - Steel EN345
 MIDPLATE - 4 Layer Kevlar EN12568: 2010
 SOLE - Black/ Yellow, Oil & Acid Resistant Rubber / EVA
 SPEC - EN ISO 20345 : 2004/A 1 2007 SRA

Freedom SERIES



Skate			
Code	Model	Size	Packing
581-91-105	9110	38 / 5	10
581-91-106	9110	39 / 6	10
581-91-107	9110	41 / 7	10
581-91-108	9110	42 / 8	10
581-91-109	9110	43 / 9	10
581-91-110	9110	44 / 10	10
581-91-111	9110	45 / 11	10
581-91-112	9110	46 / 12	10



UPPER - Brown Suede Leather/Microfibre with Orange Strip
 COLLAR - Brown Suede Leather/Microfibre
 LINING - Breathable Orange Air Mesh
 TOE CAP - Steel EN345
 MIDPLATE - 4 Layer Kevlar EN12568: 2010
 SOLE - Orange/White Oil, Acid, Abrasive Resistant Rubber Sole
 SPEC - EN ISO 20345 : 2004/A 1 2007 SRC

Oil Resistant SERIES



Oxford

Code	Model	Size	Packing
581-50-105	501	38 / 5	10
581-50-106	501	39 / 6	10
581-50-140	501	40	10
581-50-107	501	41 / 7	10
581-50-108	501	42 / 8	10
581-50-109	501	43 / 9	10
581-50-110	501	44 / 10	10
581-50-111	501	45 / 11	10
581-50-112	501	46 / 12	10



UPPER - Genuine Cow Grain Leather (Black)
 LINING - Breathable Polymer Air Mesh
 TOE CAP - Steel EN345
 MIDPLATE - Steel EN12568: 2010
 SOLE - Oil, Acid, Abrasive Resistant Rubber Sole
 SPEC - EN ISO 20345
 Padded Tongue & Collar For Extra Comfort

Oil Resistant SERIES



Ankle

Code	Model	Size	Packing
581-50-205	502	38 / 5	10
581-50-206	502	39 / 6	10
581-50-240	502	40	10
581-50-207	502	41 / 7	10
581-50-208	502	42 / 8	10
581-50-209	502	43 / 9	10
581-50-210	502	44 / 10	10
581-50-211	502	45 / 11	10



UPPER - Genuine Cow Grain Leather (Black)
 LINING - Breathable Polymer Air Mesh
 TOE CAP - Steel EN345
 MIDPLATE - Steel EN12568: 2010
 SOLE - Black, Oil, Acid, Abrasive Resistant Rubber Sole
 SPEC - EN ISO 20345
 Padded Tongue & Collar For Extra Comfort

Elegant SERIES



Trek

Code	Model	Size	Packing
581-60-005	1600	38 / 5	10
581-60-006	1600	39 / 6	10
581-60-040	1600	40	10
581-60-007	1600	41 / 7	10
581-60-008	1600	42 / 8	10
581-60-009	1600	43 / 9	10
581-60-010	1600	44 / 10	10
581-60-011	1600	45 / 11	10
581-60-012	1600	46 / 12	10



UPPER - Suede Leather
 LINING - Breathable Polymer Air Mesh
 TOE CAP - Steel EN345
 MIDPLATE - Steel EN12568: 2010
 SOLE - Oil, Acid, Abrasive Resistant Rubber / EVA
 SPEC - EN ISO 20345



Safety Shoe (Cyber Economic)

Code	Model	Size	Packing
PCCS3000-37	3000	37 / 4	10
PCCS3000-38	3000	38 / 5	10
PCCS3000-39	3000	39 / 6	10
PCCS3000-40	3000	40 / 7 (US)	10
PCCS3000-41	3000	41 / 7 (UK)	10
PCCS3000-42	3000	42 / 8	10
PCCS3000-43	3000	43 / 9	10
PCCS3000-44	3000	44 / 10	10
PCCS3000-45	3000	45 / 11	10



* Black Smooth Leather
* Metal Toe Cap
* Limited Protection

* Rubber Sole
* Breathable Black Mesh
* Metal Midplate



Ankle Boot (Cyber Economic)

Code	Model	Size	Packing
PCCS3200-38	3200	38 / 5	10
PCCS3200-39	3200	39 / 6	10
PCCS3200-40	3200	40 / 7 (US)	10
PCCS3200-41	3200	41 / 7 (UK)	10
PCCS3200-42	3200	42 / 8	10
PCCS3200-43	3200	43 / 9	10
PCCS3200-44	3200	44 / 10	10
PCCS3200-45	3200	45 / 11	10



* Black Smooth Leather
* Metal Toe Cap
* Limited Protection

* Rubber Sole
* Breathable Black Mesh
* Metal Midplate



Style & Comfort



Metal Toe Cap
Limited Protection



Anti-Slip



Metal Midsole
Limited Protection



Leather



Kelvar Fiber
Sole



Safety Shoe

Toe Cap	P	Model	Size	Packing
BKSSR3000-4	BKSSR3000P-4	R3000	4	10
BKSSR3000-5	BKSSR3000P-5	R3000	5	10
BKSSR3000-6	BKSSR3000P-6	R3000	6	10
BKSSR3000-7	BKSSR3000P-7	R3000	7	10
BKSSR3000-8	BKSSR3000P-8	R3000	8	10
BKSSR3000-9	BKSSR3000P-9	R3000	9	10
BKSSR3000-10	BKSSR3000P-10	R3000	10	10
BKSSR3000-11	BKSSR3000P-11	R3000	11	10



- * P (With Steel Mid Steel Plate : 1100 Newtons)
- * Slip Resistance, Oil Resistance
- * Steel Toe Cap (EN 12568 200 joule)
- * Heat Resistant, Cold Insulation, Ventilates Moisture
- * Anti Slip, Heel Energy (20 Joule)



SIRIM
MS 1599:1998
LIC NO: PR000301



Safety Shoe

Toe Cap	P	Model	Size	Packing
BKSSR3001-4	BKSSR3001P-4	R3001	4	10
BKSSR3001-5	BKSSR3001P-5	R3001	5	10
BKSSR3001-6	BKSSR3001P-6	R3001	6	10
BKSSR3001-7	BKSSR3001P-7	R3001	7	10
BKSSR3001-8	BKSSR3001P-8	R3001	8	10
BKSSR3001-9	BKSSR3001P-9	R3001	9	10
BKSSR3001-10	BKSSR3001P-10	R3001	10	10
BKSSR3001-11	BKSSR3001P-11	R3001	11	10



- * P (With Steel Mid Steel Plate : 1100 Newtons)
- * Slip Resistance, Oil Resistance
- * Steel Toe Cap (EN 12568 200 joule)
- * Heat Resistant, Cold Insulation, Ventilates Moisture
- * Anti Slip, Heel Energy (20 Joule)



SIRIM
MS 1599:1998
LIC NO: PR000301



Safety Shoe

Toe Cap	P	Model	Size	Packing
BKSSR3003K-4	BKSSR3003KP-4	R3003	4	10
BKSSR3000K-5	BKSSR3003KP-5	R3003	5	10
BKSSR3000K-6	BKSSR3003KP-6	R3003	6	10
BKSSR3000K-7	BKSSR3003KP-7	R3003	7	10
BKSSR3000K-8	BKSSR3003KP-8	R3003	8	10
BKSSR3000K-9	BKSSR3003KP-9	R3003	9	10
BKSSR3000K-10	BKSSR3003KP-10	R3003	10	10
BKSSR3000K-11	BKSSR3003KP-11	R3003	11	10
BKSSR3000K-12	BKSSR3003KP-12	R3003	12	10



- * P (With Steel Mid Steel Plate : 1100 Newtons)
- * Slip Resistance, Oil Resistance
- * Steel Toe Cap (EN 12568 200 joule)
- * Heat Resistant, Cold Insulation, Ventilates Moisture
- * Anti Slip, Heel Energy (20 Joule)



SIRIM
MS 1599:1998
LIC NO: PR000301



Slip Resistance



Oil Resistance



Safety Steel Toe Cap
200 Joules



Steel Midsole (P)
Piercing Resistance



Resistance To Hot
Contact Up To 300°C



Nitrile Rubber
Outsole



Ventilates Moisture



Breathable Lining



Safety Shoe

Toe Cap	P	Model	Size	Packing
BKSSR3005-5	BKSSR3005P-5	R3005	5	10
BKSSR3005-6	BKSSR3005P-6	R3005	6	10
BKSSR3005-7	BKSSR3005P-7	R3005	7	10
BKSSR3005-8	BKSSR3005P-8	R3005	8	10
BKSSR3005-9	BKSSR3005P-9	R3005	9	10
BKSSR3005-10	BKSSR3005P-10	R3005	10	10
BKSSR3005-11	BKSSR3005P-11	R3005	11	10



- * P (With Steel Mid Steel Plate : 1100 Newtons)
- * Slip Resistance, Oil Resistance
- * Steel Toe Cap (EN 12568 200 joule)
- * Heat Resistant, Cold Insulation, Ventilates Moisture
- * Anti Slip, Heel Energy (20 Joule)



SIRIM
MS 1599:1998
LIC NO: PR000301



Safety Shoe


Toe Cap	P	Model	Size	Packing
BKSSR3005K-5	BKSSR3005KP-5	R3005K	5	10
BKSSR3005K-6	BKSSR3005KP-6	R3005K	6	10
BKSSR3005K-7	BKSSR3005KP-7	R3005K	7	10
BKSSR3005K-8	BKSSR3005KP-8	R3005K	8	10
BKSSR3005K-9	BKSSR3005KP-9	R3005K	9	10
BKSSR3005K-10	BKSSR3005KP-10	R3005K	10	10
BKSSR3005K-11	BKSSR3005KP-11	R3005K	11	10



- * P (With Steel Mid Steel Plate : 1100 Newtons)
- * Slip Resistance, Oil Resistance
- * Steel Toe Cap (EN 12568 200 joule)
- * Heat Resistant, Cold Insulation, Ventilates Moisture
- * Anti Slip, Heel Energy (20 Joule)



SIRIM
MS 1599:1998
LIC NO: PR000301





Safety Shoe

Code	Model	Size	Packing
SBSSVP2000-04	VP2000	4	10
SBSSVP2000-05	VP2000	5	10
SBSSVP2000-06	VP2000	6	10
SBSSVP2000-07	VP2000	7	10
SBSSVP2000-08	VP2000	8	10
SBSSVP2000-09	VP2000	9	10
SBSSVP2000-10	VP2000	10	10
SBSSVP2000-11	VP2000	11	10
SBSSVP2000-12	VP2000	12	10



- * Come with Steel Toe Cap
- 200 joules impact meets BS EN 345 standards
- * Come with Steel Midsole Plate
- BS EN 345 standards



Safety Shoe

Code	Model	Size	Packing
SBSSVP2003-04	VP2003	4	10
SBSSVP2003-05	VP2003	5	10
SBSSVP2003-06	VP2003	6	10
SBSSVP2003-07	VP2003	7	10
SBSSVP2003-08	VP2003	8	10
SBSSVP2003-09	VP2003	9	10
SBSSVP2003-10	VP2003	10	10
SBSSVP2003-11	VP2003	11	10
SBSSVP2003-12	VP2003	12	10



- * Come with Steel Toe Cap
- 200 joules impact meets BS EN 345 standards
- * Come with Steel Midsole Plate
- BS EN 345 standards



Safety Shoe

Code	Model	Size	Packing
SBSSVP2008-05	VP2008	5	10
SBSSVP2008-06	VP2008	6	10
SBSSVP2008-07	VP2008	7	10
SBSSVP2008-08	VP2008	8	10
SBSSVP2008-09	VP2008	9	10
SBSSVP2008-10	VP2008	10	10
SBSSVP2008-11	VP2008	11	10
SBSSVP2008-12	VP2008	12	10



- * Come with Steel Toe Cap
- 200 joules impact meets BS EN 345 standards
- * Come with Steel Midsole Plate
- BS EN 345 standards



Slip Resistance



Oil Resistance

Safety Steel Toe
Cap 200 Joules

Breathable Lining

Steel Midsole (P)
Piercing Resistance
(optional)Resistance To Hot
Contact Up To 300°C

Ventilates Moisture



Faux Leather



Safety Shoe				
Code	Model	Color	Size	Packing
SBSSVP2005-05	VP2005	Brown	5	10
SBSSVP2005-06	VP2005	Brown	6	10
SBSSVP2005-07	VP2005	Brown	7	10
SBSSVP2005-08	VP2005	Brown	8	10
SBSSVP2005-09	VP2005	Brown	9	10
SBSSVP2005-10	VP2005	Brown	10	10
SBSSVP2005-11	VP2005	Brown	11	10
SBSSVP2005K-05	VP2005	Black	5	10
SBSSVP2005K-06	VP2005	Black	6	10
SBSSVP2005K-07	VP2005	Black	7	10
SBSSVP2005K-08	VP2005	Black	8	10
SBSSVP2005K-09	VP2005	Black	9	10
SBSSVP2005K-10	VP2005	Black	10	10
SBSSVP2005K-11	VP2005	Black	11	10



- * Come with Steel Toe Cap
- 200 joules impact meets BS EN 345 standards
- * Come with Steel Midsole Plate
- BS EN 345 standards



Safety Shoe			
Code	Model	Size	Packing
SBSSVRM900G-04	VRM900G	4	10
SBSSVRM900G-05	VRM900G	5	10
SBSSVRM900G-06	VRM900G	6	10
SBSSVRM900G-07	VRM900G	7	10
SBSSVRM900G-08	VRM900G	8	10
SBSSVRM900G-09	VRM900G	9	10
SBSSVRM900G-10	VRM900G	10	10
SBSSVRM900G-11	VRM900G	11	10



- * Come with Steel Toe Cap
- 200 joules impact meets BS EN 345 standards
- * Come with Steel Midsole Plate
- BS EN 345 standards



Safety Shoe			
Code	Model	Size	Packing
SBSSVRM901K-05	VRM901K	5	10
SBSSVRM901K-06	VRM901K	6	10
SBSSVRM901K-07	VRM901K	7	10
SBSSVRM901K-08	VRM901K	8	10
SBSSVRM901K-09	VRM901K	9	10
SBSSVRM901K-10	VRM901K	10	10
SBSSVRM901K-11	VRM901K	11	10



- * Come with Steel Toe Cap
- 200 joules impact meets BS EN 345 standards
- * Come with Steel Midsole Plate
- BS EN 345 standards



Safety Shoe (Economic)

Code	Model	Size	Packing
SBSSVE7000-04	VE7000	4	10
SBSSVE7000-05	VE7000	5	10
SBSSVE7000-06	VE7000	6	10
SBSSVE7000-07	VE7000	7	10
SBSSVE7000-08	VE7000	8	10
SBSSVE7000-09	VE7000	9	10
SBSSVE7000-10	VE7000	10	10
SBSSVE7000-11	VE7000	11	10
SBSSVE7000-12	VE7000	12	10



- * Come with Metal Toe Cap (limited protection)
- * Come with Metal Plate (limited protection)
- * Low Density PVC sole
- * PVC Leather



Ladies Safety Shoe

Code	Model	Size	Packing
SBSSVLR500-03	VL-R500	3	10
SBSSVLR500-04	VL-R500	4	10
SBSSVLR500-05	VL-R500	5	10
SBSSVLR500-06	VL-R500	6	10
SBSSVLR500-07	VL-R500	7	10
SBSSVLR500-08	VL-R500	8	10



- * Come with Steel Toe Cap
 - 200 joules impact meets BS EN 345 standards
- * Come with Steel Midsole Plate
 - BS EN 345 standards



Ladies Safety Shoe

Code	Model	Size	Packing
SBSSVLR500-03	VL-R501	3	10
SBSSVLR500-04	VL-R501	4	10
SBSSVLR500-05	VL-R501	5	10
SBSSVLR500-06	VL-R501	6	10
SBSSVLR500-07	VL-R501	7	10
SBSSVLR500-08	VL-R501	8	10



- * Come with Steel Toe Cap
 - 200 joules impact meets BS EN 345 standards
- * Come with Steel Midsole Plate
 - BS EN 345 standards



PVC Wellington Boot (Lining)

Code	Model	Color	Size	Packing
OSWB3000-39Y	3000YL	Yellow	39	5/40
OSWB3000-40Y	3000YL	Yellow	40	5/40
OSWB3000-41Y	3000YL	Yellow	41	5/40
OSWB3000-42Y	3000YL	Yellow	42	5/40
OSWB3000-43Y	3000YL	Yellow	43	5/40

osaki

* Suitable for all general industries, agricultural, food, garden & more

* Useful in wet, muddy and slippery conditions



PVC Wellington Boot (Lining)

Code	Model	Color	Size	Packing
OSWB3000-38B	3000BL	Black	38	5/40
OSWB3000-39B	3000BL	Black	39	5/40
OSWB3000-40B	3000BL	Black	40	5/40
OSWB3000-41B	3000BL	Black	41	5/40
OSWB3000-42B	3000BL	Black	42	5/40
OSWB3000-43B	3000BL	Black	43	5/40

osaki

* Suitable for all general industries, agricultural, food, garden & more

* Useful in wet, muddy and slippery conditions



PVC Lace Labour Shoe

Code	Model	Color	Size	Packing
OSPS702-37	702	Black	37 / 4	10/100
OSPS702-38	702	Black	38 / 5	10/100
OSPS702-39	702	Black	39 / 6	10/100
OSPS702-40	702	Black	40 / 7	10/100
OSPS702-41	702	Black	41 / 8	10/100
OSPS702-42	702	Black	42 / 9	10/100
OSPS702-43	702	Black	43 / 10	10/100



PVC Slip-on Shoe

Code	Model	Color	Size	Packing
OSPS803-37	803	Black	37 / 4	10/100
OSPS803-38	803	Black	38 / 5	10/100
OSPS803-39	803	Black	39 / 6	10/100
OSPS803-40	803	Black	40 / 7	10/100
OSPS803-41	803	Black	41 / 8	10/100
OSPS803-42	803	Black	42 / 9	10/100



Wellington Boot (Unlining)

Code	Model	Color	Size	Packing
OSWB6190-38	6190	Black	38	5/50
OSWB6190-39	6190	Black	39	5/50
OSWB6190-40	6190	Black	40	5/50
OSWB6190-41	6190	Black	41	5/50
OSWB6190-42	6190	Black	42	5/50
OSWB6190-43	6190	Black	43	5/50

- * Suitable for all general industries, agricultural, food, garden & more
- * Useful in wet, muddy and slippery conditions
- * Height: 12"
- * Brand : TT
- * Made in Malaysia



Wellington Boot (Lining)

Code	Model	Color	Size	Packing
OSWB8000-38B	8000B	Black	38	5/50
OSWB8000-39B	8000B	Black	39	5/50
OSWB8000-40B	8000B	Black	40	5/50
OSWB8000-41B	8000B	Black	41	5/50
OSWB8000-42B	8000B	Black	42	5/50
OSWB8000-43B	8000B	Black	43	5/50

- * Suitable for all general industries, agricultural, food, garden & more
- * Useful in wet, muddy and slippery conditions
- * Height: 12"
- * Brand : TT
- * Made in Malaysia



Wellington Boot (Lining)

Code	Model	Color	Size	Packing
OSWB8000-38W	8000W	White	38	5/50
OSWB8000-39W	8000W	White	39	5/50
OSWB8000-40W	8000W	White	40	5/50
OSWB8000-41W	8000W	White	41	5/50
OSWB8000-42W	8000W	White	42	5/50
OSWB8000-43W	8000W	White	43	5/50

- * Suitable for all general industries, agricultural, food, garden & more
- * Useful in wet, muddy and slippery conditions
- * Height: 12"
- * Brand : TT
- * Made in Malaysia



903 Short Color Boot

Code	Model	Size	Packing
OSWB903-36	903	36	5/50
OSWB903-38	903	38	5/50
OSWB903-39	903	39	5/50
OSWB903-40	903	40	5/50
OSWB903-41	903	41	5/50
OSWB903-42	903	42	5/50
OSWB903-43	903	43	5/50

- * Suitable for all general industries, agricultural, food, garden & more
- * Useful in wet, muddy and slippery conditions
- * Color: Brown, Yellow, Black



Picasaf Body Harness is a form of protective equipment designed to protect a person from injury or damage.

The harness is an attachment between a stationary and non-stationary object and is usually fabricated from rope, cable or webbing and locking hardware.

Some Picasaf Body Harness are used in combination with a shock absorber, which is used to regulate deceleration when the end of the rope is reached.



CE CE 0321



BS EN 361 : 2002
Cert No : PC002570



- * 1pc D-Ring on back,
- * Front buckle for strap adjustment
- * Adjustable thigh strap
- * 1pc Carabiner
- * Belt Material - 100% Polyester
- * Size : Universal & XXL
- * Sirim : BS EN 361 : 2002

Body Harness (9802)

Code	Model	Size	Art	Packing
PCBH9802	9802	XL	1831000-2	12
PCBH9802-3XL	9802	3XL	1831000-2	12



Always Take The Safest Path.



CE CE 0321



BS EN 361 : 2002
Cert No : PC002570



BS EN 354 : 2010
Cert No : PC002569

- * 1pc D-Ring on back,
- * Front buckle for strap adjustment
- * Adjustable thigh strap
- * 1pc Carabiner
- * 1.8m lanyard & big steel hook
- * Belt Material - 100% Polyester
- * Size : Universal
- * Sirim : BS EN 361 : 2002
BS EN 354 : 2010



Full Body Harness Set (980213)

Code	Model	Description	Art	Packing
PCBH980213	980213	9802+9813	1831000-2	12



CE CE 0321



BS EN 361 : 2002
Cert No : PC002570



BS EN 354 : 2010
Cert No : PC002569

- * 1pc D-Ring on back,
- * Front buckle for strap adjustment
- * Adjustable thigh strap
- * 1pc Carabiner
- * 1.8m lanyard & big steel hook
- * Belt Material - 100% Polyester
- * Size : Universal
- * Sirim : BS EN 361 : 2002
BS EN 354 : 2010



Full Body Harness Set (980313)

Code	Model	Description	Art	Packing
PCBH980313	980313	9803+9813	1831000-2	10



CE CE 0321



BS EN 361 : 2002
Cert No : PC002570



BS EN 354 : 2010
Cert No : PC002569

- * 1pc D-Ring on back,
- * Front buckle for strap adjustment
- * Adjustable thigh strap
- * Come with Carabiner, E.Absorber
- * 1.8m lanyard & big steel hook
- * Belt Material - 100% Polyester
- * Size : Universal
- * Sirim : BS EN 361 : 2002
BS EN 354 : 2010



Full Body Harness Set (980214)

Code	Model	Description	Art	Packing
PCBH980214	980214	9802+9814	1831000-2	10



CE CE 0321



BS EN 361 : 2002
Cert No : PC002570



BS EN 354 : 2010
Cert No : PC002569

- * 1pc D-Ring on back,
- * Front buckle for strap adjustment
- * Adjustable thigh strap
- * 1pc Carabiner
- * 2 Lanyard(1.8m) & 2 Big Steel Hook
- * Belt Material - 100% Polyester
- * Size : Universal
- * Sirim : BS EN 361 : 2002
BS EN 354 : 2010



Full Body Harness Set (980215)

Code	Model	Description	Art	Packing
PCBH980215	980215	9802+9815	1831000-2	8



CE CE 0321



BS EN 361 : 2002
Cert No : PC002570



BS EN 354 : 2010
Cert No : PC002569

- * 1pc D-Ring on back,
- * Front buckle for strap adjustment
- * Adjustable thigh strap
- * 1pc Carabiner
- * 2 Lanyard(1.8m) & 2 Big Steel Hook
- * Belt Material - 100% Polyester
- * Size : Universal
- * Sirim : BS EN 361 : 2002
BS EN 354 : 2010



Full Body Harness Set (980315)

Code	Model	Description	Art	Packing
PCBH980315	980315	9803+9815	1831000-2	8



CE CE 0321



BS EN 361 : 2002
Cert No : PC002570

- * 1pc D-Ring on back,
- * Front buckle for strap adjustment
- * Adjustable thigh strap
- * 1pc Carabiner, Webbing lanyard & snap hook (1.8m)
- * Belt Material - 100% Polyester
- * Size : Universal
- * Sirim : BS EN 361 : 2002



Full Body Harness Set

Code	Model	Description	Art	Packing
PCBH980216	980216	Small Hook	1831000-2	10
PCBH980217	980217	XL Hook	1831000-2	10



Positioning Belt

Code	Model	Art	Packing
PCB9801	9801	1831000-1	10



- * 2 D-Ring intended for adjustable lanyard / rope adjuster
- * Belt Material - 100% Polyester

CE CE 0321



CE CE 0321



BS EN 361 : 2002
Cert No : PC002570

- * 1pc D-Ring on back,
- * Front buckle for strap adjustment
- * Adjustable thigh strap
- * 1pc Carabiner
- * 2 D-Ring intended for adjustable lanyard / rope adjuster
- * Belt Material - 100% Polyester
- * Size : Universal
- * Sirim : BS EN 361 : 2002



Full Body Harness + Positioning Belt

Code	Model	Description	Art	Packing
		980213+9801		



CE CE 0321



BS EN 361 : 2002
Cert No : PC002570

- * 1pc D-Ring on back,
- * Front buckle for strap adjustment
- * Adjustable thigh strap
- * 1pc Carabiner
- * 2 D-Ring intended for adjustable lanyard / rope adjuster
- * Belt Material - 100% Polyester
- * Size : Universal
- * Sirim : BS EN 361 : 2002



Full Body Harness + Positioning Belt

Code	Model	Description	Art	Packing
		980313+9801		



Energy Absorber

Code	Model	Packing
PCA9810	9810	25



* Can be fitted to spring, webbing or polyamide lanyard for shock absorbing purposes should a fall occur

* Art : 1858007

* Material : 100% Polyester

* Sirim : BS EN 361 : 2002

CE CE 0321



BS EN 361 : 2002
Cert No : PC002570



Steel Carabiner

Code	Model	Packing
PCC9812	9812	100



* Suitable to install with energy absorber, lanyards or any fall protection accessories & also directly incorporating with any full body harness

* Art : 1858007

CE CE 0321



1.8M Lanyard with Big Steel Hook

Code	Model	Packing
PCL9813	9813	15



* Art : 1858013

* System breaking strength > 22.3KN

* 12mm 3 Strands 100% polyester

CE CE 0321



BS EN 354 : 2010
Cert No : PC002569



1.8M Lanyard with Big Steel Hook & Energy Absorber

Code	Model	Packing
PCL9814	9814	12



* Art : 1858013

* System breaking strength > 22.3KN

* 12mm 3 Strands 100% polyester

CE CE 0321



BS EN 354 : 2010
Cert No : PC002569



1.8M Lanyard with 2 Big Steel Hook & Energy Absorber

Code	Model	Packing
PCL9815	9815	8



CE CE 0321



BS EN 354 : 2010
Cert No : PC002569



Small Hook



XL Hook

1.8M Webbing Lanyard + Hook			
Code	Model	Description	Packing
PCWL9816	9816	Small Hook	25
PCWL9817	9817	XL Hook	20



* High resistant webbing , this is a general purpose fall arrest lanyard that suits almost any environments.

CE CE 0321



Large Steel Hook			
Code	Model	Art	Packing
PCLH9819	9819	1859004	40



CE CE 0321



Quick Link			
Code	Model	Size	Packing
IQL10	9820	10mm	200



Static Polyester Rope - 3 Strand			
Code	Model	Size	Packing
PCR9821-12	9821-12	12mm x 200m	
PCR9821-14	9821-14	14mm x 200m	



Polyamide Rope - 3 Strand			
Code	Model	Size	Packing
PCR9823-12	9823-12	12mm x 200m	
PCR9823-14	9823-14	14mm x 200m	





Braided Rope For Mobile Fall Arrestor System

Code	Model	Length	Packing
PCR9826-1220	9826-1220	20m	5
PCR9826-1230	9826-1230	30m	3

- * 1pc Karabiner 9812
- * 12mm braided rope with 1 loop End
- * Rope load strength >=2200 dan
- * For longer Length, consult us



CE EN 353-2



Mobile Fall Arrester Part

Code	Model	Packing
PCFA9827	9827	1



- * 40cm Sling Belt & Snap Hook 9825
- * Detachable Rope Grap 9824;
- * 1pc Karabiner 9812

CE EN 353-2

Automatic Operation:

For work requiring vertical movement, the PICASAF Grap Devide follows the User by sliding freely on the rope. If the user falls, the PICASAF Grap locks immediately.

Manual Operation:

When working horizontally (platforms) or on sloping surface (roofs), the PICASAF Grap flow frecly on one way & lock on reverse way, can only be released by hand to allow the device to slide.

Mobile Fall System Complete

Code	Model	Packing
PCFS9828-1220	9828-1220	1
PCFS9828-1230	9828-1230	1



- * 12mm braided rope with 1 loop 9826
- * 40cm Sling Belt & Snap Hook 9825
- * Detachable Rope Grap 9824
- * 2pc Karabiner 9812
- * 1pc large steel hook 9819

CE EN 353-2

PCLH9819

PCC9812

20M
PCR9826-1220

30M
PCR9826-1230



Automatic Operation:

For work requiring vertical movement, the PICASAF Grap Devide follows the User by sliding freely on the rope. If the user falls, the PICASAF Grap locks immediately.

Manual Operation:

When working horizontally (platforms) or on sloping surface (roofs), the PICASAF Grap flow frecly on one way & lock on reverse way, can only be released by hand to allow the device to slide.



Safety Lifting Block

Code	Model	Lenght	Packing
PCB9831-10	9831-10	10m	5
PCB9831-15	9831-15	15m	2
PCB9831-20	9831-20	20m	2



- * Working Max Loading: 100kgs
- * Locking speed: 1m/s
- * Locking distance: less than 0.2m
- * Wire lenght: 10/15/20mm
- * Wire Thickness: 3.2mm
- * CE certified meet EN360:2002



Safety Tripod

Code	Model	Height	Packing
PCT9830	9830	1.7m(5.6ft) - 2.7m(8.8ft)	



- * Material : Light Aluminium Alloy
- * Working loading stand : 8000N (800kgs)
- * Adjustable length : 134cm - 214cm
- * Winch with Automatic lock device
- * Wire length : 20M
- * Winch handle force : 200N
- * Working loading for winch : 180-200kgs
- * Mechanical Efficiency : 8:1
- * Net weight : 18.5kgs (w/o winch)
- * Standard : EN795:2012-TYPE B



Full Body Harness Set (680215)

Code	Model	Brand	Packing
SBBH681215	681215	Sobar	8

- * 1pc D-Ring on back,
- * Front buckle for strap adjustment
- * Adjustable thigh strap
- * 1pc Carabiner

- * 2 Lanyard(1.8m) & 2 Big Steel Hook
- * Belt Material - 100% Polyester
- * Size : Universal
- * CE 0194, EN362:2004/A





Safety Construction Mesh PE

Code	Size	Packing
SCMP6X17	1.8m x 5.2m (6'x17')	30

* China Brand



Single Safety Belt

Code	Model	Description	Packing
SSBC727	727	Industrial	50

* China Brand



Fall Arrest Harness (Complete Set)

Code	Model	Description	Packing
FBHC787	787	Small Hock	20

* China Brand



Fall Arrest Harness (Complete Set)

Code	Model	Description	Packing
FBHC788	788	XL Hock	20

* China Brand



Polyester Cargo Lash (Ratchet Tie Down - H/Duty)

Code	Size	Color	Packing
PCCLM4208	2 x 8m	Yellow	10
PCCLM4210	2 x 10m	Yellow	10



- * Breaking load: 10,000lbs
- * 1.2kg
- * Standard Handle

CE EN 12195-2



Fixed Part : 230mm

Cargo Lash (Ratchet Tie Down - H/Duty)

Code	Size	Color	Packing
PCCLH5210	50mm x 10m	Orange	10



- * Working Load: 2,500kg
- * Breaking Load: 5,000kg
- * 1.4kg
- * Extra Long Handle

CE DIN 60060



Ratchet Tie Down - L/Duty

Code	Size	Load	Packing
PCRTD1X5	1" x 5m	800kg	50



Ratchet Handle (Fixed Part)

Code	Size	Color	Packing
PCRHF2	50mm 2"	Orange	20



- * Capacity : 5,000kg



Sling Lashing come with Hook

Code	Size	Color	Packing
PCSLH2X10	50mm x 10m	Orange	20



- * Capacity : 5,000kg



Sling Lashing Belt

Code	Size	Color	Packing
PCSLB2X100	50mm x 100m	Orange	3



- * Capacity : 5,000kg



WLL 1T	1,000
WLL 2T	2,000
WLL 3T	3,000
WLL 4T	4,000
WLL 5T	5,000
WLL 6T	6,000
WLL 8T	8,000
WLL 10T	10,000

Polyester Webbing Sling - Safety Factor 6 : 1

Code	WLL	Length/m	Packing
PCWS6-1X1	1 Ton (25mm)	1	100
PCWS6-1X2	1 Ton (25mm)	2	80
PCWS6-1X3	1 Ton (25mm)	3	50
PCWS6-1X4	1 Ton (25mm)	4	40
PCWS6-1X5	1 Ton (25mm)	5	30
PCWS6-1X6	1 Ton (25mm)	6	20
PCWS6-1X8	1 Ton (25mm)	8	15
PCWS6-1X10	1 Ton (25mm)	10	10
PCWS6-1X12	1 Ton (25mm)	12	10
PCWS6-2X1	2 Ton (50mm)	1	50
PCWS6-2X2	2 Ton (50mm)	2	40
PCWS6-2X3	2 Ton (50mm)	3	25
PCWS6-2X4	2 Ton (50mm)	4	20
PCWS6-2X5	2 Ton (50mm)	5	20
PCWS6-2X6	2 Ton (50mm)	6	15
PCWS6-2X8	2 Ton (50mm)	8	10
PCWS6-2X10	2 Ton (50mm)	10	8
PCWS6-2X12	2 Ton (50mm)	12	6
PCWS6-3X1	3 Ton (75mm)	1	30
PCWS6-3X2	3 Ton (75mm)	2	25
PCWS6-3X3	3 Ton (75mm)	3	20
PCWS6-3X4	3 Ton (75mm)	4	15
PCWS6-3X5	3 Ton (75mm)	5	10
PCWS6-3X6	3 Ton (75mm)	6	10
PCWS6-3X8	3 Ton (75mm)	8	6
PCWS6-3X10	3 Ton (75mm)	10	5
PCWS6-3X12	3 Ton (75mm)	12	5
PCWS6-4X2	4 Ton (100mm)	2	15
PCWS6-4X3	4 Ton (100mm)	3	10
PCWS6-4X4	4 Ton (100mm)	4	10
PCWS6-4X5	4 Ton (100mm)	5	10
PCWS6-4X6	4 Ton (100mm)	6	8
PCWS6-4X8	4 Ton (100mm)	8	6
PCWS6-4X10	4 Ton (100mm)	10	4
PCWS6-4X12	4 Ton (100mm)	12	4

* Straight sling with becketted (Folded) eye each and for vertical/ choker/ basket hitch

* Double Ply Temperature Range:-40C to +100C

Code	WLL	Length/m	Packing
PCWS6-5X2	5 Ton (125mm)	2	10
PCWS6-5X3	5 Ton (125mm)	3	9
PCWS6-5X4	5 Ton (125mm)	4	8
PCWS6-5X5	5 Ton (125mm)	5	6
PCWS6-5X6	5 Ton (125mm)	6	6
PCWS6-5X8	5 Ton (125mm)	8	4
PCWS6-5X10	5 Ton (125mm)	10	3
PCWS6-5X12	5 Ton (125mm)	12	2
PCWS6-6X2	6 Ton (150mm)	2	10
PCWS6-6X3	6 Ton (150mm)	3	10
PCWS6-6X4	6 Ton (150mm)	4	8
PCWS6-6X5	6 Ton (150mm)	5	6
PCWS6-6X6	6 Ton (150mm)	6	4
PCWS6-6X8	6 Ton (150mm)	8	4
PCWS6-6X10	6 Ton (150mm)	10	3
PCWS6-6X12	6 Ton (150mm)	12	3
PCWS6-8X3	8 Ton (200mm)	3	6
PCWS6-8X4	8 Ton (200mm)	4	4
PCWS6-8X5	8 Ton (200mm)	5	4
PCWS6-8X6	8 Ton (200mm)	6	3
PCWS6-8X8	8 Ton (200mm)	8	2
PCWS6-8X10	8 Ton (200mm)	10	2
PCWS6-8X12	8 Ton (200mm)	12	1
PCWS6-10X4	10 Ton (250mm)	4	4
PCWS6-10X5	10 Ton (250mm)	5	3
PCWS6-10X6	10 Ton (250mm)	6	2
PCWS6-10X8	10 Ton (250mm)	8	2
PCWS6-10X10	10 Ton (250mm)	10	1
PCWS6-10X12	10 Ton (250mm)	12	1
PCWS6-12X6	12 Ton (300mm)	6	1
PCWS6-12X8	12 Ton (300mm)	8	1
PCWS6-12X10	12 Ton (300mm)	10	1
PCWS6-12X12	12 Ton (300mm)	12	1





WLL 1t	1.000
WLL 2t	2.000
WLL 3t	3.000
WLL 4t	4.000
WLL 5t	5.000
WLL 6t	6.000
WLL 8t	8.000
WLL 10t	10.000

Polyester Webbing Sling - Safety Factor 7 : 1

* Straight sling with becketted (Folded) eye each and for vertical/ choker/ basket hitch

* Double Ply Temperature Range:-40C to +100C

Code	WLL	Length/m	Packing
PCWS7-1X1	1 Ton (30mm)	1	80
PCWS7-1X2	1 Ton (30mm)	2	50
PCWS7-1X3	1 Ton (30mm)	3	38
PCWS7-1X4	1 Ton (30mm)	4	30
PCWS7-1X5	1 Ton (30mm)	5	25
PCWS7-1X6	1 Ton (30mm)	6	20
PCWS7-1X8	1 Ton (30mm)	8	15
PCWS7-1X10	1 Ton (30mm)	10	12
PCWS7-1X12	1 Ton (30mm)	12	10

PCWS7-2X1	2 Ton (60mm)	1	40
PCWS7-2X2	2 Ton (60mm)	2	30
PCWS7-2X3	2 Ton (60mm)	3	20
PCWS7-2X4	2 Ton (60mm)	4	20
PCWS7-2X5	2 Ton (60mm)	5	12
PCWS7-2X6	2 Ton (60mm)	6	10
PCWS7-2X8	2 Ton (60mm)	8	8
PCWS7-2X10	2 Ton (60mm)	10	6
PCWS7-2X12	2 Ton (60mm)	12	6

PCWS7-3X1	3 Ton (90mm)	1	30
PCWS7-3X2	3 Ton (90mm)	2	18
PCWS7-3X3	3 Ton (90mm)	3	12
PCWS7-3X4	3 Ton (90mm)	4	10
PCWS7-3X5	3 Ton (90mm)	5	8
PCWS7-3X6	3 Ton (90mm)	6	6
PCWS7-3X8	3 Ton (90mm)	8	5
PCWS7-3X10	3 Ton (90mm)	10	4
PCWS7-3X12	3 Ton (90mm)	12	3

PCWS7-4X2	4 Ton (120mm)	2	12
PCWS7-4X3	4 Ton (120mm)	3	9
PCWS7-4X4	4 Ton (120mm)	4	8
PCWS7-4X5	4 Ton (120mm)	5	6
PCWS7-4X6	4 Ton (120mm)	6	5
PCWS7-4X8	4 Ton (120mm)	8	4
PCWS7-4X10	4 Ton (120mm)	10	3
PCWS7-4X12	4 Ton (120mm)	12	3

PCWS7-5X2	5 Ton (150mm)	2	10
PCWS7-5X3	5 Ton (150mm)	3	8
PCWS7-5X4	5 Ton (150mm)	4	6
PCWS7-5X5	5 Ton (150mm)	5	5
PCWS7-5X6	5 Ton (150mm)	6	4
PCWS7-5X8	5 Ton (150mm)	8	4
PCWS7-5X10	5 Ton (150mm)	10	2
PCWS7-5X12	5 Ton (150mm)	12	2

PCWS7-6X2	6 Ton (180mm)	2	5
PCWS7-6X3	6 Ton (180mm)	3	6
PCWS7-6X4	6 Ton (180mm)	4	4
PCWS7-6X5	6 Ton (180mm)	5	3
PCWS7-6X6	6 Ton (180mm)	6	3
PCWS7-6X8	6 Ton (180mm)	8	2
PCWS7-6X10	6 Ton (180mm)	10	2
PCWS7-6X12	6 Ton (180mm)	12	2

* Safety Factory Weight (Kg)

(±3%)	4:1	5:1	6:1	7:1
2 ton x 3m	0.61	0.81	0.91	1.06kg
3 ton x 6m	1.81	2.46	2.79	3.26kg



(Blink , Static & Torch)

**Baton Light with Torch**

Code	Model	Size	Packing
PCBL404	BL404	400 x 40mm	50



- * Brand : Picasaf
- * Bulb : 4 x Red LED
- * Material : PVC(tube), ABS(Handle)
- * Operate : -40° ~ 75°C, Rain
- * Battery : Type D x 2 (not included)
- * Distant : >300m (In dark)
- * Out put on full charge (hours):80hours



(Blink & Static)

**Baton Light**

Code	Model	Size	Packing
PCBL966	BL966	540 x 40mm	50



- * Brand : Picasaf
- * Bulb : 6 x Red LED
- * Material : PVC(tube), ABS(Handle)
- * Operate : -40° ~ 75°C, Rain
- * Battery : Type D x 2 (not included)
- * Distant : >300m (In dark)
- * Out put on full charge (hours):80hours



(Blink , Static & Torch)

**Baton Light with Torch**

Code	Model	Size	Packing
PCBL543	BL543	540 x 40mm	50



- * Brand : Picasaf
- * Bulb : 6 x Red LED
- * Material : PVC(tube), ABS(Handle)
- * Operate : -40° ~ 75°C, Rain
- * Battery : Type D x 2 (not included)
- * Distant : >300m (In dark)
- * Out put on full charge (hours):80hours

**Triangle Sign**

Code	Model	Description	Packing
PCTS9227	9227	Plastic Case	20

**Triangle Sign**

Code	Model	Description	Packing
PCTS9221	9221	Paper Box	100





18cm

10.5cm

Rechargeable LED Torch Light

Code	Model	Description	Packing
PCRTL9740	9740	15Led	60/ctn



- * Built-in high up to 1500Mah free maintenance sealed leadacid rechargeable battery
- * 12 hours are needed for a full charge time on 1st time
- * Strong Light can be used continuously for 8 hours
- * Small Light can be used continuously for 18 hours



Lantern Torch Light

Code	Model	Description	Packing
PCTL9730	9730	6V	48



- * 4R25 Lantern Battery (not included)



On/Off Switch

LED Head Light

Code	Model	Description	Packing
PCHL9710	9710	10 Led	25/100



- * Use Dry Cell Battery 3pcs AAA (not included)
- * Extensive Lifetime of LED (100,000hrs)
- * Adjustable Head Strap Held
- * 2 methods to switch on the Torch or Flashlight function
- * Weight: 100g ; Diameter Lamp: 42.5mm
- * Material: ABS Engineering Plastic
- * 7 lights 3.0-3.4v / 12.000mcd / white LED



Rechargeable Head Lamp

Code	Model	Description	Packing
PCRHL9720	9720	12 Led	100



- * Material: PP Plastic
- * Size: 17 x 10.5cm
- * 4R25 Battery Powered

Parametre Name	Units	Numerical
Rated Voltage	V	4
Rated Capacity	MA	1000
LED	Operating Voltage	V 4
	Light Current	MA 180
	Low-light Current	MA 100
Light The Largest Distance		M 200
Charger Output Voltage		V 5.5
Battery Life		Cycle About 300-400 times



Solar Signal Lamp - 2 in 1

Code	Model	Color	Packing
PCSSL9233A	9233	Amber	12



- * 2 in 1 : Battery or Solar
- * Batteries not included



Signal Lamp

Code	Model	Color	Packing
PCSL9230Y	9230	Yellow/Amber	12
PCSL9230R	9230	Red	12



- * Day light cut-off sensor, Ultra Bright LED source
- * 185mm Large lens, 125-150 fash/minute
- * Batteries not included
- * 4R25 Battery x 2pcs



Single Battery Signal Lamp

Code	Model	Color	Packing
PCSL9231Y	9231	Yellow/Amber	12



- * Day light cut-off sensor, Ultra Bright LED source
- * 185mm Large lens, 125-150 fash/minute
- * Batteries not included
- * 4R25 Battery x 1pc



Signal Lamp

Code	Model	Color	Packing
PCSL9230B	9230	Blue	12



- * Day light cut-off sensor, Ultra Bright LED source
- * 185mm Large lens, 125-150 fash/minute
- * Batteries not included
- * 4R25 Battery x 1pc



Signal Lamp

Code	Model	Color	Packing
PCSL9234A	9234	Amber	20



- * These cone type warning lights are easily mount onto standard traffic cones
- * Day light cut-off sensor, Ultra Bright LED source
- * 185mm Large lens, 125-150 fash/minute
- * Batteries not included
- * Battery C x 2pcs





Lantern Battery

Code	Model	Color	Packing
PCLB9236	9236	6Volt, 4R25	24



Convex Mirror - Polycarbonate

Code	Size	Description	Packing
PCCMP18	18"/45cm	Indoor	5
PCCMP24	24"/60cm	Outdoor	5
PCCMP32	32"/80cm	Outdoor	1
PCCMP40	40"/100cm	Outdoor	1



- * Provide a wider field of view as they are curved outwards.
- * Mirror Lens Polycarbonate
- * Mirror Back ABS
- * UV Resistant Protective Ring / Shade (PP Material)
- * 3.0mm Hot Dipped MS Plate Bracket
- * Japan Export Quality



Convex Mirror (S/Steel)

Code	Size	Description	Packing
PCCMS60	600mm	In/Outdoor	1



- * Provide a wider field of view as they are curved outwards.
- * Come with Wall Bracket, made in Taiwan



Sticker Paper

Code	Description	Packing
PCSP70/80	70/80Km/J	100/1000
PCSP80/90	80/90Km/J	100/1000



No Parking Sign

Code	Model	Description	Packing
PCFS92201	92201	Wet Floor	10
PCFS92202	92202	No Parking	10



- * Rigid Plastic Sheet
- * Size : 300x400x2.0



Safety Cone - PE

Code	Model	Size	Packing
PCSC9301	9301	18" 1R	1



- * Suitable athletics, landscaping, parking and more
- * Great choice for use during day, night, in dark or gloomy condition



Safety Cone - PE

Code	Model	Size	Packing
PCSC9302	9302	30" 1R	225



- * Suitable hazard markers/blockades and signage, industrial/utility facilities, entryways and more
- * Great choice for use during day, night, in dark or gloomy condition
- * Base with Sand: 15" x 15"
- * Reflective 4"
- * Weight : 2 ~ 2.2kg



Safety Cone - PE (Black Base)

Code	Model	Size	Packing
PCSC9303B	9303	30" 1R	225



- * Suitable hazard markers/blockades and signage, industrial/utility facilities, entryways and more
- * Great choice for use during day, night, in dark or gloomy condition
- * Base with Sand: 15" x 15"
- * Reflective 4"
- * Weight : 2 ~ 2.2kg



Soft PVC Cone

Code	Model	Size	Packing
PCSC9305	9305	28" 2R	



- * Suitable hazard markers/blockades and signage, industrial/utility facilities, entryways and more
- * Great choice for use during day, night, in dark or gloomy condition
- * 2 reflective, NW 5Lb, 2.2kg
- * Weight : 2.2 ~ 2.4kg



Soft PVC Cone (Black Base)

Code	Model	Size	Packing
PCSC9306B	9306	28" 2R	



- * Suitable hazard markers/blockades and signage, industrial/utility facilities, entryways and more
- * Great choice for use during day, night, in dark or gloomy condition
- * 2 reflective, NW 7Lb, 3kg
- * Weight : 2.2 ~ 2.4kg



Safety Cone

Code	Model	Size	Packing
PCSC9312	9312	30"1R	



- * Suitable hazard markers/blockades and signage, industrial/utility facilities ,entryways and more
- * Great choice for use during day, night, in dark or gloomy condition
- * Base with Sand: 15" x 15"
- * Reflective: 6"
- * Weight : 2 ~ 2.2kg



Safety Cone - PE (Black Base)

Code	Model	Size	Packing
PCSC9313B	9313	30"1R	



- * Suitable hazard markers/blockades and signage, industrial/utility facilities ,entryways and more
- * Great choice for use during day, night, in dark or gloomy condition
- * Base with Sand: 15" x 15"
- * Reflective: 6"
- * Weight : 2 ~ 2.2kg



Safety Cone - PE

Code	Model	Size	Packing
PCSC9315	9315	30"2R	



- * Suitable hazard markers/blockades and signage, industrial/utility facilities ,entryways and more
- * Great choice for use during day, night, in dark or gloomy condition
- * Base with Sand: 15" x 15"
- * Reflective: 6" & 4"
- * Weight : 2 ~ 2.2kg



Safety Cone - PE (Black Base)

Code	Model	Size	Packing
PCSC9316B	9316	30"2R	



- * Suitable hazard markers/blockades and signage, industrial/utility facilities ,entryways and more
- * Great choice for use during day, night, in dark or gloomy condition
- * Base with Sand: 15" x 15"
- * Reflective: 6" & 4"
- * Weight : 2 ~ 2.2kg



Fold Type Retractable Cone With LED

Code	Model	Size	Packing
PCSC9308	9308	60cm	20



- * Great choice for use during day, night, in dark or gloomy condition
- * Orange waterproof material with Reflective
- * Collapsed flat for Easy Storage in car boot
- * 2x3AAA Battery (not included)



Cone Barrier Pole

Code	Model	Color	Length	Packing
PCCBP9460RW	9460	Red White	1.2m ~ 2.2m	50/ctn
PCCBP9460BY	9460	Black Yellow	1.2m ~ 2.2m	50/ctn



* Material Body : PVC
* Pole Diameter : 32mm & 40mm

* Circle Diameter: 105mm
* Weight: 0.7 ~ 0.8kg



Delineator Pole - TPU

Code	Model	Size	Packing
PCDPT9401	9401	8Ø x 75cm	10



* Dia 8 x H 75cm. TPU: Flexible, Durable ; NW 1.45kg
* Vehicle Impact: Bound up very fast. Long duty cycle.



Delineator Pole - China TPU

Code	Model	Size	Packing
PCDPC9402	9402	8Ø x 75cm	16

* Bound: Medium Speed, Medium Duty ; NW 1.35kg
* Vehicle Impact will not last as Picasaf Delineator Pole.
* China TPU: Flexible but not Durable
* PVC: Press down slowly come up
* Without screw



Road Barrier - Plastic

Code	Model	Color	Size (LxBxH)	Packing
PCRBP9410R	9410	Red	1mx0.48mx0.81m	
PCRBP9410W	9410	White	1mx0.48mx0.81m	



* Act as traffic safety barriers for channeling vehicles or pedestrain traffic
* WT : 7.0 kg



Road Stud Reflector - Double Side

Code	Description	Size	Packing
PCRSR9420	Aluminium	100x100x20mm	50



* Load bearing: 20 tons ; Water Resistant
* Handle depth: 45mm ; Color: Amber



Road Hump Body

Code	Model	Color	L x W x H (mm)	Packing
PCRHB9430Y	9430	Yellow	500x350x50	4
PCRHB9430B	9430	Black	500x350x50	4



- * Material: Rubber in Black & Yellow
- * 4 Mounting Points Give Excellent Adhesion to Road Surface
- * Built-in Reflectors Provide Greater Visibility & Safety



Road Hump End

Code	Model	Color	L x W x H (mm)	Packing
PCRHE9431Y	9431	Yellow	170x350x50	12
PCRHE9431B	9431	Black	170x350x50	12



- * 2 Mounting Points Give Excellent Adhesion to Road Surface



Wood Screw & Plug for Hump & Pole

Code	Screw Size	Plug Size	Packing
WSPM10X90	M10 x 90	14 x 75	12/60



Vehicle Wheel Stopper

Code	Model	Kg	L x W x H (mm)	Packing
PCVWS9440	9440	4.5	550x150x100	6



- * Suitable for light commercial vehicles
- * Prevents damage to property / protects pedestrian walkways
- * Reflective tape is moulded on for increased visibility
- * Easy to install & reinstate, simply bolt down
- * Material: Rubber (SBR)



Edge Protection Guard

Code	Model	L x W x H (mm)	Packing
PCEPG9450	9450	800x100x100x10	20



- * Specially designed product for basement and any other area having pillars
- * Special smooth surface on the outside avoids scratches to the vehicles
- * Reflective sticker provides better visibility in the night.
- * Material: Rubber (SBR)
- * High Impact Resistant, High Intensity Reflector






Sticker Reflective (Left / Right)

Code	Color	Size	Packing
BN-S0007	Red / Yellow	120x480mm	100



- * Good Reflection Performance, Stable Quality, Easy Operation
- * Suitable for Trucks, Lorries, Safety Signs



Crystal Sticker Reflective (Left / Right)

Code	Color	Size	Packing
BN-S0018	Red / Yellow	120x480mm	10/100
BN-S0017	Red / Yellow	150x600mm	5/50



- * Excellent Reflection Performance, Stable Quality, Easy Operation
- * Suitable for Trucks, Lorries, Safety Signs



Reflective Adhesive Tape

Code	Color	Size	Packing
PC RAT2YB	Yellow / Black	2"x45.7m	20 Rolls
PC RAT2RW	Red / White	2"x45.7m	20 Rolls
PC RAT2W	White	2"x45.7m	20 Rolls



- * Good Reflection Performance, Stable Quality, Easy Operation
- * Suitable for Trucks, Lorries, Safety Signs



Horizontal Reflective Label (Left / Right)

Code	Model	Size	Packing
3MDG3HS	DG3HS	600x150mm	100



- * Excellent Reflection Performance, Stable Quality, Easy Operation
- * Suitable for Trucks, Lorries, Safety Signs




Kenderaan Panjang & Lebar Reflective Label

Code	Model	Size	Packing
3MDG3KPL	DG3KPL	745x250mm	200



- * Excellent Reflection Performance, Stable Quality, Easy Operation
- * Suitable for Trucks, Lorries, Safety Signs





Reflective Sheet - Pet 3100#

Code	Size	Color	Packing
PCRSP03W	0.3x45.7m	White	1 Roll
PCRSP047W	0.47x45.7m	White	1 Roll
PCRSP062W	0.62 x 45.7m	White	1 Roll
PCRSP062Y	0.62 x 45.7m	Yellow	1 Roll




Reflective Sheet (Hexagon) - High Intensive 1500#

Code	Size	Color	Packing
PCRS124W	1.24 x 45.7m	White	1
PCRS124Y	1.24 x 45.7m	Yellow	1




* 4' - 1.22X45.7M



Reflective Sheet - Crystal 1200#

Code	Size	Color	Packing
PCRSCH062W	0.62x45.7m	White	1
PCRSCH062Y	0.62x45.7m	Yellow	1



PVC Delineator Reflective

Code	Size	Color	Packing
PCDRP50G	50pc x 50m	Green	10
PCDRP50R	50pc x 50m	Red	10



* Delineator Reflective can be used to control crowds & to direct traffic or demarcation dangerous areas.

* Colour: Orange Red, Lemon Yellow



High Intensity Delineator Reflective

Code	Size	Color	Packing
PCDRH50Y	50pc x 50m	Yellow	10



* Delineator Reflective can be used to control crowds & to direct traffic or demarcation dangerous areas.

* Durability : 2 Years



PE Barricade Tape

Code	Size	Description	Packing
PCPBT270RW	2" x70m	Awas	100
PCPBT370RW	3" x70m	Awas	72



- * High strength and good flexibility provide excellent manipulating power
- * Bright color which help to strengthen the visual result and code of safety warning
- * Suitable for traffic alert, equipment storage, first aid as well as wall storage
- * Color: Red / White 10/10cm 0.4mm



PE Barricade Tape

Code	Size	Description	Packing
PCPBT350RW	3" x50y	Awas	100



- * High strength and good flexibility provide excellent manipulating power
- * Bright color which help to strengthen the visual result and code of safety warning
- * Suitable for traffic alert, equipment storage, first aid as well as wall storage
- * Color: Red / White 10/15cm 0.35mm



PE Barricade Tape

Code	Size	Description	Packing
PCPBT370YB	3" x70m	Awas	100



- * High strength and good flexibility provide excellent manipulating power
- * Bright color which help to strengthen the visual result and code of safety warning
- * Suitable for traffic alert, equipment storage, first aid as well as wall storage
- * Color: Yellow / Black 10/10cm 0.4mm



Reflective Tape - PVC

Code	Size	Color	Packing
PC RTP1W	1" x50m	White	20
PC RTP2W	2" x50m	White	20
PC RTP2R	2" x50m	Red	20



- * Non-Adhesive (waist coat)



Reflective Sheet - PVC

Code	Size	Color	Packing
PCRSP45	45cm x 45cm	White	100



Reflective Tape - TC

Code	Size	Color	Packing
PCRTT1	1" x100m	Grey	1 Roll
PCRTT2	2" x100m	Grey	1 Roll



- * Non-Adhesive (waist coat)





Plastic Chain

Code	Size (mm)	Color	Packing
PCPC625RW	6 x 25	White+Red	8/ctn



- * Durable & hardwearing plastic chain lengths ideal for use with barrier systems and other demarcation solutions
- * Easily cut to length or joined together using jointing links
- * Strong and sturdy
- * Multi-purpose – ideal for a variety of uses and situations



Plastic Chain

Code	Size (mm)	Color	Packing
PCPC625Y	6 x 25	Yellow	8/ctn
PCPC625R	6 x 25	Red	8/ctn
PCPC625B	6 x 25	Blue	8/ctn
PCPC625G	6 x 25	Green	8/ctn
PCPC625W	6 x 25	White	8/ctn
PCPC820W	8 x 20	White	8/ctn
PCPC825Y	8 x 25	Yellow	8/ctn
PCPC825R	8 x 25	Red	8/ctn
PCPC825B	8 x 25	Blue	8/ctn
PCPC825G	8 x 25	Green	8/ctn
PCPC825W	8 x 25	White	8/ctn



- * Durable & hardwearing plastic chain lengths ideal for use with barrier systems and other demarcation solutions
- * Easily cut to length or joined together using jointing links
- * Strong and sturdy
- * Multi-purpose – ideal for a variety of uses and situations



Be Safe.

Mandatory Signs



Model	92001
Code	PCMS92001
Size	300x400x2.0mm
Type	Rigid Plastic Sheet



Model	92002
Code	PCMS92002
Size	300x400x2.0mm
Type	Rigid Plastic Sheet



Model	92003
Code	PCMS92003
Size	300x400x2.0mm
Type	Rigid Plastic Sheet



Model	92004
Code	PCMS92004
Size	300x400x2.0mm
Type	Rigid Plastic Sheet



Model	92005
Code	PCMS92005
Size	300x400x2.0mm
Type	Rigid Plastic Sheet



Model	92006
Code	PCMS92006
Size	300x400x2.0mm
Type	Rigid Plastic Sheet



Model	92007
Code	PCMS92007
Size	300x400x2.0mm
Type	Rigid Plastic Sheet



Model	92008
Code	PCMS92008
Size	300x400x2.0mm
Type	Rigid Plastic Sheet



Model	92009
Code	PCMS92009
Size	300x400x2.0mm
Type	Rigid Plastic Sheet



Model	92010
Code	PCMS92010
Size	300x400x2.0mm
Type	Rigid Plastic Sheet



Model	92011
Code	PCMS92011
Size	300x400x2.0mm
Type	Rigid Plastic Sheet



Model	92012
Code	PCMS92012
Size	300x400x2.0mm
Type	Rigid Plastic Sheet



Model	92013
Code	PCMS92013
Size	300x400x2.0mm
Type	Rigid Plastic Sheet

Emergency Escape Signs



Model	92301
Code	PCES92301
Size	150x450mm
Type	Self-adhesive Label



Model	92302
Code	PCES92302
Size	150x450mm
Type	Self-adhesive Label



Model	92303
Code	PCES92303
Size	150x450mm
Type	Self-adhesive Label



Model	92304
Code	PCES92304
Size	150x450mm
Type	Self-adhesive Label



Model	92305
Code	PCES92305
Size	150x450mm
Type	Self-adhesive Label



Model	92306
Code	PCES92306
Size	150x450mm
Type	Self-adhesive Label



Fibre Cloth (Asbestos Free) E-Glass 105

Code	Thickness	Height	Kg/Roll	m/Roll
PCFCEG10	1.0mm	1m	24	30m
PCFCEG15	1.5mm	1m	32	30m
PCFCEG30	3.0mm	1m	54	30m



* Refractoriness : 350°C - 500°C



Fibre Cloth (Satin Brown) - HT800

Code	Model	Thickness	Height	m/Roll
PCFCHT10	HT800	1.0mm	1m	50m



* Refractoriness : 500-650°C (Welding Blanket, Heat Treated)



Fibre Tape E-Glass 106

Code	Width	Thickness	Kg/Roll	m/Roll
PCFTEG2	2"	3.0m	2.5	20m
PCFTEG3	3"	3.0m	2.5	20m



Fire Blanket

Code	Size	Brand	Packing
PCFB4X4	4' x 4'	Picasaf	
PCFB4X6	4' x 6'	Picasaf	20
PCFB6X6	6' x 6'	Picasaf	10



* Material : Fiberglass
 * Density : 430gm/m²
 * Refractoriness : <500°C



Asbestos Cloth (Dust Free) - FD105

Code	Thickness	Height	Kg/Roll
PCAC15	1.5mm	1m	50
PCAC20	2.0mm	1m	50
PCAC30	3.0mm	1m	50



* Refractoriness : 350°C - 500°C



Asbestos Tape - 106

Code	Width	Thickness	Kg/Roll	m/Roll
PCAT10	1"	3.0m	2.5	50kg
PCAT15	1½"	3.0m	2.5	50kg
PCAT20	2"	3.0m	2.5	50kg
PCAT25	2½"	3.0m	5.0	50kg
PCAT30	3"	3.0m	5.0	50kg



Asbestos Yarn Rope - FD101

Code	Width	Kg/Roll	Kg/ctn
PCAYR3/16	3/16"	2.5	50kg
PCAYR1/4	1/4"	5.0	50kg
PCAYR5/16	5/16"	5.0	50kg
PCAYR3/8	3/8"	5.0	50kg
PCAYR1/2	1/2"	5.0	50kg



Asbestos Lagging Rope (Dust Free) - FD104

Code	Width	Kg/Roll	Kg/ctn
PCALR38	1 1/2" (38mm)	10	20

